C2090-544^{Q&As}

DB2 9.7 Advanced DBA for LUW

Pass IBM C2090-544 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/C2090-544.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which command will prevent prefetching during crash recovery?

A. db2set DB2_AVOID_PREFETCH=OFF

B. db2set DB2_AVOID_PREFETCH=ON

C. db2set DB2_RECOVERY_PREFETCHING=NO

D. db2set DB2_RECOVERY_PREFETCHING=YES

Correct Answer: B

QUESTION 2

How can you change an existing non-partitioned index for a partitioned table to a partitioned index?

A. Use the ALTER INDEX command.

B. Use the DROP INDEX and CREATE INDEX commands.

C. Use the REORG INDEX command.

D. Use the ALTER INDEX and REORG INDEX commands.

Correct Answer: B

QUESTION 3

What new security authorities have been introduced in DB2 V9.7?

A. WLMADM, ACCESSCTRL, SECADMIN

B. EXPLAIN, SECADMIN, DATAACCESS

C. SECADMIN, ACCESSCTRL, SQLADM

D. WLMADM, SQLADM, EXPLAIN

Correct Answer: D

QUESTION 4

A DBA has configured an Oracle data source in a federated database (that references a table named ORA1). How do you update the statistics for table ORA1 at the federated server?

A. Perform the equivalent of RUNSTATS on ORA1 in Oracle.

B. Perform RUNSTATS on the ORA1 nickname at the federated server.

C. Perform the equivalent of RUNSTATS on ORA1 in Oracle; then perform RUNSTATS on the ORA1 nickname.

D. Perform the equivalent of RUNSTATS on ORA1 in Oracle; then drop and re-create the ORA1 nickname.

Correct Answer: D

QUESTION 5

Given a database created as follows:

```
CREATE DATABASE mydb ON /mnt/data PAGESIZE 8192;

If you have two tables defined as:

CREATE TABLE t1 (c1 INT, c2 CHAR (200), c3 CHAR (200), c4 CHAR (200), c5 CHAR (200),
    c6 CHAR (200));
CREATE table t2 (c1 INT, c2 CHAR (200), c3 CHAR (200), c4 CHAR (200), c5 CHAR (200),
    c6 CHAR (200), c7 CHAR (200), c8 CHAR (200));

You are running the statement:
    SELECT a.c1, a.c2, a.c3, b.c4, b.c5, b.c6, b.c7, b.c8
    FROM t1 a, t2 b
    WHERE a.c1=b.c1
    ORDER BY a.c1
```

If each table (T1 and T2) has 50,000 rows, which of the following commands will ensure that the temporary table created by the select statement will fit entirely in the buffer pool, assuming that there is a primary key/foreign key relationship between column C1 in table T1, and column C1 in table T2?

A. CREATE BUFFERPOOL bp1 SIZE 20000 PAGESIZE 4k;ALTER TABLESPACE tempspace1 BUFFERPOOL bp1;

B. CREATE BUFFERPOOL bp1 size 10000 PAGESIZE 8k;

C. CREATE BUFFERPOOL bp1 size 5000 PAGESIZE 16k;ALTER TABLESPACE tempspace1 BUFFERPOOL bp1;

D. CREATE BUFFERPOOL bp1 size 25000 PAGESIZE 32k;

Correct Answer: B

Latest C2090-544 Dumps   C2090-544 Practice Test   C2090-544 Study Guide

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: