



C2090-545^{Q&As}

DB2 9.7 SQL Procedure Developer

Pass IBM C2090-545 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c2090-545.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Given the statement shown below:

```
CREATE TRIGGER newprod NO CASCADE BEFORE INSERT ON product  
REFERENCING NEW AS r  
FOR EACH ROW MODE DB2SQL  
BEGIN ATOMIC  
    SET (n.description) = XMLVALIDATE(n.description  
    ACCORDING TO XMLSCHEMA URI 'http://posample.org/product.xsd');  
END
```

What happens to NEWPROD if '\\http://posample.org/product.xsd\\' is dropped?

- A. NEWPROD will validate against a new schema.
- B. NEWPROD will raise an exception.
- C. NEWPROD is marked as inoperative.
- D. NEWPROD is dropped.

Correct Answer: C

QUESTION 2

Which command can be used to optimize static SQL statements containing parameterized queries?

- A. SET CURRENT EXPLAINMODE=REOPT
- B. SET CURRENT EXPLAIN MODE=EXPLAIN
- C. SET CURRENT EXPLAIN MODE=YES
- D. SET CURRENT EXPLAIN MODE=PARAM

Correct Answer: A

QUESTION 3

Which of the following statements is true for declared global temporary tables(DGTT)?

- A. The value of the USER special register is the implicit schema name of the DGTT
- B. B. The DGTT must be stored in a system temporary table space



- C. SESSION is the implicit schema name of the DGTT
- D. The data in a DGTT cannot be compressed.

Correct Answer: C

QUESTION 4

The CREATE OR REPLACE PROCEDURE statement is similar semantically to which of the following combined statements?

- A. DROP and CREATE PROCEDURE
- B. ALTER and CREATE PROCEDURE
- C. UPDATE and CREATE PROCEDURE
- D. DROP and ALTER PROCEDURE

Correct Answer: A

QUESTION 5

Which code fragment illustrates the proper way to capture and save SQL error handler values so they can be used to control procedure logic?

- A. DECLARE CONTINUE HANDLER FOR SQLEXCEPTION, SQLWARNING, NOTFOUND SET retcode = SQLCODE;
- B. DECLARE ERROR HANDLER FOR SQLEXCEPTION, SQLWARNING, NOT FOUND SET retcode = EXCEPTION;
- C. DECLARE ERROR HANDLING SQLEXCEPTION, SQLWARNING, NOT FOUND SET retcode = SQLERRN;
- D. DECLARE ERRORHANDLING FOR SQLEXCEPTION, SQLWARNING, NOT FOUND SET retcode = SQLMSG;

Correct Answer: A

[Latest C2090-545 Dumps](#)

[C2090-545 PDF Dumps](#)

[C2090-545 Brindumps](#)