C2090-558^{Q&As}

Informix 11.70 Fundamentals

Pass IBM C2090-558 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/c2090-558.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which command would you execute to restore to a specific moment-in-time?

A. onbar -t timestamp

B. onbar -r -log lognum

C. onbar -r -t timestamp

D. onbar -r -l timestamp

Correct Answer: C

QUESTION 2

What is the default isolation level on a mode ANSI database?

A. Dirty Read

B. Cursor Stability

C. Committed Read

D. Repeatable Read

Correct Answer: D

QUESTION 3

Click the Exhibit button.

```
CREATE DATABASE dt3;
CREATE TABLE t1(c1 CHAR(10), c2 INT CHECK
(c2>5);
INSERT INTO t1 VALUES ('a',3);
INSERT INTO t1 VALUES ('b',4);
INSERT INTO t1 VALUES ('c',5);
INSERT INTO t1 VALUES ('d',6);
INSERT INTO t1 VALUES ('d',7);
SELECT * FROM t1;
```

The query.sql file contains the information shown in the exhibit. The following command is run: dbaccess ?query.sql How many rows will be returned by the select query?

A. 1

B. 2

C. 3

D. 4

Correct Answer: B

QUESTION 4

Which of the following privileges can NOT be granted to a role?

A. Type-Level

B. Table-Level

C. Routine-Level

D. Database-Level

Correct Answer: D

QUESTION 5

In what way is Enterprise Replication (ER) replication different from High-Availability Cluster (HAC) replication?

A. All data types are replicated.

B. The data to be replicated is defined at an instance level of granularity.

C. The data to be replicated can be defined at a column level of granularity.

D. The data to be replicated can not include simple blobs stored in simple blobspaces.

Correct Answer: C

[C2090-558 PDF Dumps](#)   [C2090-558 Study Guide](#)   [C2090-558 Braindumps](#)