



C2090-611^{Q&As}

DB2 10.1 DBA for Linux UNIX and Windows

Pass IBM C2090-611 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c2090-611.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Due to a hardware failure, it appears that there may be some corruption in database DB_1 as DB2 is reporting a "bad page". DB2DART is performed for the entire database and it appears that several bad pages were detected in table space TBSP_1. What command can be used to recover the database and repair the corruption in table space TBSP_1?

- A. RESTART DATABASE
- B. RECOVER DATABASE
- C. RESTORE TABLESPACE
- D. ROLLFORWARD DATABASE

Correct Answer: B

QUESTION 2

A user with SYSADM authority executes the following commands at host SERVER1:

```
db2set DB2COMM=TCPIP;  
db2 UPDATE DBM CFG USING SVCENAME 50000;  
db2stop;  
db2start;
```

Then from a Windows workstation, a DB2 client is configured this way:

```
CATALOG TCPIP NODE mynode REMOTE server1  
SERVER db2c_sample;  
CATALOG DB sample AT NODE mynode;  
CONNECT TO sample USER administrator;
```

Assuming the user ADMINISTRATOR exists, what could be causing the problem?

- A. The password for user ADMINISTRATOR is missing.
- B. The userid should not be longer than eight characters.
- C. The syntax of the CATALOG NODE command must contain a valid TCP/IP address.
- D. The db2c_sample entry in the Windows Services File might not be assigned port number 50000.

Correct Answer: D

QUESTION 3

When the ALTER TABLE DETACH operation is used to detach a single data partition from a partitioned table, at what point does the newly detached data partition become accessible as a standalone table?



- A. After a SET INTEGRITY statement is executed.
- B. After a truncate table operation is performed in the background.
- C. Immediately after the ALTER TABLE DETACH statement is executed.
- D. Immediately after asynchronous partition detach processing completes for this data partition.

Correct Answer: D

QUESTION 4

Which type of table space can be associated with only one storage group?

- A. Automatic storage space (AS)
- B. System managed space (SMS)
- C. Database managed space (DMS) File
- D. Database managed space (DMS) Device

Correct Answer: A

QUESTION 5

A partitioned table named SALES was created as follows: Which statement about the PARTS_IDX index is true?

```
CREATE TABLE parts
(part_num INT,
description VARCHAR(50),
price DECIMAL(4,2))
INDEX IN tbasp3
PARTITION BY RANGE (part_num)
(STARTING FROM (1) ENDING AT (10) IN tbasp0,
STARTING FROM (11) ENDING AT (20) IN tbasp1,
STARTING FROM (21) ENDING AT (30) IN tbasp2);
```

If the following statement is executed,

```
CREATE INDEX parts_idx ON parts (part_num);
```

- A. The index PARTS_IDX will be a nonpartitioned index and it will be stored in table space TBSP3.
- B. The index PARTS_IDX will be a nonpartitioned index and it will be stored in table space TBSP0.
- C. The index PARTS_IDX will contain 3 partitions and all three partitions will be stored in table space TBSP3.
- D. The index PARTS_IDX will contain 3 partitions; the first partition will be stored in table space TBSP0, the second in TBSP1, and the third in TBSP2.



Correct Answer: D

[C2090-611 VCE Dumps](#)

[C2090-611 Study Guide](#)

[C2090-611 Braindumps](#)