



# C2090-919<sup>Q&As</sup>

Informix 11.70 System Administrator

**Pass IBM C2090-919 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c2090-919.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

Which of the following gives a good initial estimate for the physical log size?

- A. 110% of rootdbs.
- B. 110% the default buffer pool.
- C. 110% of the logical log space.
- D. 110% of combined buffer pool.

Correct Answer: D

---

### QUESTION 2

Given the two indexes defined on table tab1:

```
index idx1 on tab1(c1)
index idx2 on tab1(c2)
```

And the following query:

```
select c1,c2 from tab1
where c1 = 1 and c2 between 20 and 30
```

Which optimization method may be used?

- A. STAR\_JOIN
- B. MULTI\_INDEX
- C. OUTER\_INDEX
- D. INDEX\_SELFJOIN

Correct Answer: B

---

### QUESTION 3

A Connection Manager is started with the following Service Level Agreement:

SLA report=(SDS+report\_server)

Where will a connection to the report SLA be redirected?

- A. Any available SDS (Shared Disk Secondary) server, then report\_server.
- B. Report\_server, then any available SDS server.



- C. Report\_server, then the SDS server with most available resources.
- D. The server with the most available resources in the SLA list, including all SDS servers and report\_server.

Correct Answer: D

---

#### QUESTION 4

To maximize the performance of your OnBar backup and recovery operations, what should you do?

- A. Use a commercial storage manager.
- B. Use the bundled Informix Storage Manager (ISM).
- C. Use a combination of disk-based and tape-based backup devices.
- D. Use separate storage devices for instance spaces and logical logs.

Correct Answer: D

---

#### QUESTION 5

Which parameter is used to configure the servers in a high-availability cluster so that transactions complete after failover?

- A. SURVIVAL\_TX\_ENABLE
- B. FAILOVER\_CALLBACK
- C. SURVIVAL\_TX\_TIMEOUT
- D. FAILOVER\_TX\_TIMEOUT

Correct Answer: D

[C2090-919 PDF Dumps](#)

[C2090-919 VCE Dumps](#)

[C2090-919 Exam Questions](#)