

# C2150-196<sup>Q&As</sup>

IBM Security QRadar SIEM V7.1 Implementation

# Pass IBM C2150-196 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/C2150-196.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



## https://www.passapply.com/C2150-196.html

2021 Latest passapply C2150-196 PDF and VCE dumps Download

#### **QUESTION 1**

When adding a managed host using encryption, which network port must be openbi- directionally between the console and new host?

A. 22

B. 115

C. 443

D. 445

Correct Answer: A

#### **QUESTION 2**

Which file should be sent to IBM Support if contacting them for system problems?

A. systemerr.outfile produced from /opt/ibm/esc/get\_logs.pl

B. sysoutput.log file produced from /opt/ibm/support/getjogs.sh

C. logs\_.tar.zip file producedfrom /opt/ibm/electronicsupport.sh

D. logs\_.tar.bz2 file produced from /opt/qradar/support/get\_logs.sh

Correct Answer: D

#### **QUESTION 3**

When creating a behavioral rule in Automated Anomaly Analysis, which three components are weighted todetermine the rule?

A. autoregressive pattern, fit to underlying curve, and moving average

B. seasonal or cyclical behavior, underlying trend, and random fluctuation

C. previous period value, current observation, and average of residuals for future observations

D. length of the seasonal component, date range for the trend, and time window during the day

Correct Answer: B

#### **QUESTION 4**

What does the command qchange\_netsetup do?

A. It is used to upgrade the appliance\\'s network settings after the initial setup.



## https://www.passapply.com/C2150-196.html

2021 Latest passapply C2150-196 PDF and VCE dumps Download

- B. It is used to define the MAC address of the interfaces during the initial setup.
- C. It is used to change the appliance\\'s networking settings after the initial setup.
- D. It is used to define the appliance\\'s networking settings during the initial setup.

Correct Answer: C

#### **QUESTION 5**

What must be done when creating a user\\'s password on an IBM Security QRadar SIEM V7.1 (QRadar) system that is utilizing Active Directory authentication?

- A. ensure the password has aminimum of 8 characters
- B. create the user\\'s initial password and have them change it immediately
- C. ensure the user\\'s QRadar password matches their Active Directory password
- D. a password does not need to be set on QRadar when using Active Directory authentication

Correct Answer: D

C2150-196 VCE Dumps C2150-196 Exam Questions

C2150-196 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

# **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © passapply, All Rights Reserved.