



C2150-197^{Q&As}

IBM Security Identity Manager V6.0 Implementation

Pass IBM C2150-197 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c2150-197.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

The client has a requirement to setup a reconciliation schedule against a given service that will run only on Monday, Wednesday, and Friday at 8:00 am.

How many schedules will need to be setup for the service in order to meet the requirement?

- A. It is not possible to meet the requirement.
- B. Three schedules will be needed.
- C. Two schedules will needed.
- D. One schedule will needed.

Correct Answer: C

QUESTION 2

Which TWO of the following components should be setup using secure SSL communication as best practice in an IBM Security Identity Manager environment?

- A. Adapter installer
- B. Report server
- C. SMTP server
- D. HTTP server
- E. Adapters

Correct Answer: DE

Reference: http://www01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.3/com.ibm.isim.doc_6.0.0.3/isim_Security_Guide.pdf

QUESTION 3

A customer wants to query services that have communication failures and initiate recovery actions.

What is the recommended design approach?

- A. Write custom code to query the ISIM Database tables to find services that have had communication failure. Recovery is not possible, blocked requests on these services will need to be resubmitted.
- B. Write custom code to query the ISIM Database tables to find services that have communication failure. After communication is restored, ISIM will automatically retry requests that were blocked.
- C. Use the ISIM Administration console to query services with a Failed status. After communication is restored, resubmit blocked requests.



D. Use the ISIM Administration console to query services with a Failed status. After communication is restored, retry blocked requests.

Correct Answer: D

QUESTION 4

Which of the following is a best practice high availability setup of LDAP for use with IBM Security Identity Manager?

- A. Two read/write master LDAPs with load balancer between them to distribute requests and I SIM configured to point at the load balancer
- B. Two read/write master LDAPs configured in fail over mode with load balancer and ISIM configured to point at the load balancer
- C. One master and one replica LDAP with ISIM configure to the master LDAP
- D. Separate read/write master LDAP for each node of an ISIM cluster

Correct Answer: D

Reference:

[https://www.ibm.com/developerworks/community/wikis/home/wiki/Tivoli%20Identity %20Manager/page/Setting%20up%20HA%20and%20DR%20environments%20for%20ITIM %205.x,%20ISIM%206,%20and%20ISIM%207%20VA?lang=en](https://www.ibm.com/developerworks/community/wikis/home/wiki/Tivoli%20Identity%20Manager/page/Setting%20up%20HA%20and%20DR%20environments%20for%20ITIM%205.x,%20ISIM%206,%20and%20ISIM%207%20VA?lang=en)

QUESTION 5

Which of the following is correct for enrole.ui.pageSize and enrole.ui.maxSearchResults properties?

- A. enrole.ui.pageSize controls the number of list items that is initially displayed on the screen, with more results made available in the UI with links to Page 2. Page 3. and so on. enrole.ui.maxSearchResults controls the maximum number of items returned for a search on one page. enrole.ui.maxSearchResults must always be less than or equal to enrole.ui.pageSize.
- B. enrole.ui.pageSize controls the maximum number of pages that will be displayed when a search query exceeds one page on the screen. enrole.ui.maxSearchResults controls the maximum number of items that are allowed as output of a search. If number of search results is larger than this then I SIM returns an error on the UI and terminates the request.
- C. enrole.ui.pageSize controls the default browser size (in pixels) that the web page opens to when the application is accessed. enrole.ui.maxSearchResults controls the maximum number of items returned for a search.
- D. enrole.ui.pageSize controls the number of list items that is initially displayed on the screen. enrole.ui.maxSearchResults controls the maximum number of items returned for a search.

Correct Answer: B