



# C2180-279<sup>Q&As</sup>

IBM Worklight V6.0 Mobile System Administration

**Pass IBM C2180-279 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/c2180-279.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An administrator is installing Worklight Server on a stand-alone machine in a QA environment and has already performed the following steps: 1.Created and initialized the Worklight databases 2 Defined and configured the required application server resources Which additional step must the administrator perform to use the Worklight Console to verify successful installation?

- A. Deploy the Worklight Console adapter file.
- B. Install the Worklight sample customization WAR file.
- C. Set the worklight.home JVM custom property to the location of the Worklight Console folder.
- D. Copy the worklight-jee-library.jar file to the application server's Worklight library folder.

Correct Answer: B

---

### QUESTION 2

Which object's properties should be overwritten in order to override system messages?

- A. WL.SystemMessages
- B. WL.Messages
- C. WL.Resources.Messages
- D. WL.ClientMessages

Correct Answer: D

---

### QUESTION 3

A developer is preparing a Worklight mobile application for deployment to a production environment based on the following deployment requirements:

- 1.The application's context root is myApp.
- 2.The production Worklight Server's host name and port number are prodHost and 9080, respectively.
- 3.The production Worklight Server is accessed using the http protocol.

Which changes must the developer make to properly configure the application for deployment to the production environment?



- A. In `worklight.properties`, set
- `publicWorkLightHostname` to `prodHost`
  - `publicWorkLightProtocol` to `http`
  - `publicWorkLightPort` to `9080`
  - `publicWorkLightContext` to `/myApp`
- B. In `worklight.properties`, set
- `worklightServerRootURL` to `http://prodHost:9080/myApp`
  - `publicWorkLightHostname` to `prodHost`
  - `publicWorkLightProtocol` to `http`
  - `publicWorkLightPort` to `9080`
  - `publicWorkLightContext` to `/myApp`
- C. In `application-descriptor.xml`, set `<worklightServerRootURL>` to: `http://prodHost:9080/myApp`
- D. In `application-descriptor.xml`, set `<worklightServerRootURL>` to: `http://prodHost:9080/myApp`
- In `worklight.properties`, set
- `publicWorkLightHostname` to `prodHost`
  - `publicWorkLightProtocol` to `http`
  - `publicWorkLightPort` to `9080`
  - `publicWorkLightContext` to `/myApp`

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

---

#### QUESTION 4

What is a common control?

A. A user interface element that is common to most environments

B. A way to specify how group of elements is controlled

C. An emulation of device's native controls using various technologies

D. A native interface element which cannot be controlled by a web means such as JavaScript

Correct Answer: A

---

#### QUESTION 5

What is the default project application structure?

A. A single HTML file and a number of CSS and JS files



- B. A number of HTML and JS files and a single CSS file
- C. A number of HTML, JS and CSS files
- D. A single HTML, single CSS and a single JS file

Correct Answer: A

[C2180-279 Practice Test](#)

[C2180-279 Study Guide](#)

[C2180-279 Exam Questions](#)