

C4040-221^{Q&As}

AIX 7 Administration

Pass IBM C4040-221 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/C4040-221.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

The following verification routine is part of a script used to automate cloning rootvg. This routine determines which disks are available for use. Applying the logic, what configuration of disk would be selected by the script as a candidate?

```
#!/bir/ksh
CLONING_DISKS=`lspv|awk {'print S1'}`
DISKCOUNT=0
DISTSTOUSE=
echo '\nclone_rootvg started `date`."
for i in $CLONING_DISKS
do
    DISKCHECK=`lsdev -1 ${i}|grep -i -E "sas scsi"`
    DISKINUSE='lspv|grep ${i}|awk {'print $3'}|grep -E "None|altinst_rootvg"
    if [ -z "$DISKCHECK" ] || [ -z "$DISKINUSE" ]
        then
                echo "Disk ${i} is already inuse. Checking others..."
    else
                DISKTOUSE="$DISKTOUSE $1"
                DISKCOUNT='expre $DISKCOUNT + 1'
    fi
done
```

- A. A SAN disk virtualized by NPIV.
- B. A local physical SAS drive, currently a member of the vg00 volume group.
- C. A physical SATA disk drive, currently containing the altinst_rootvg volume group.
- D. A SAN disk virtualized as a Virtual SCSI disk, currently not part of a volume group

Correct Answer: D

QUESTION 2

What infrastructure is necessary to support update installation to an existing IVM instance?

- A. Hardware Management Console
- B. Systems Director Management Console
- C. IBM Systems Director
- D. Network Install Manager
- E. Cluster Systems Manager

Correct Answer: D



QUESTION 3

Why has the following message returned when creating a NIM lpp_source from a the AIX 7100- 02-01 Service Pack?

```
# nim -o define -t lpp_source -a server=master -a
location=/export/lpp_source/aix7100-02-01 aix7100-02-01
Preparing to copy install images (this will tak 🌢
                                                  several minutes)...
Now checking for missing install images ...
warning: 0042-267 c mk lpp source: The defined lpp source does not have the
        "simages" attribute because one or more of the following
        packages are missing:
                bos
                bos.net
                bos.diaq
                bos.sysmgt
                bos.terminfo
                bos.terminfo
                             all.data
                devices graphics
                devices.scsi
                devices.tty
```

- A. The lpp_source was not created using base media.
- B. A source repository was not included in the command.
- C. The bos.rte fileset was not included in the lpp_source.
- D. The simage attribute was not specified in the command

Correct Answer: A

QUESTION 4

An AIX instance was initially configured to communicate over a single network interface. The administrator plans to configure an EtherChannel using the existing network interface and an additional network interface.

Which is the correct sequence of steps to implement this configuration?

- A. Remove the existing IP information Add both interfaces as primary adapters Configure the IP address
- B. Configure the existing interface as a primary adapter Configure the additional interface as a backup adapter
- C. Configure the same IP address on the additional interface Add both adapters as primary adapters Remove the existing default route
- D. Add both adapters as primary adapters Configure the IP address as an alias on the additional interface

Correct Answer: A

https://www.passapply.com/C4040-221.html

2021 Latest passapply C4040-221 PDF and VCE dumps Download

QUESTION 5

A customer has purchased two dual-port Fibre Channel and two dual-port Ethernet cards. Which configuration will provide the greatest amount of redundancy for two client partitions?

- A. Assign each client one fibre and Ethernet card. Make sure they are cabled to a different network and fibre switches.
- B. Assign each client one port on each of the fibre and Ethernet cards. Cable each to a different network or fibre switch.
- C. Assign all resources to a VIO server. Create an Etherchannel on the network adapters that connect to different FCoE switches.
- D. Create a dual VIO server environment, each with one Ethernet and fibre card. Make sure each card is attached to a different network and fibre switch.

Correct Answer: D

C4040-221 PDF Dumps

C4040-221 Study Guide

C4040-221 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © passapply, All Rights Reserved.