



CLAD^{Q&As}

Certified LabVIEW Associate Developer Examination

Pass EC-COUNCIL CLAD Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/clad.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EC-COUNCIL Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

The most efficient method for creating an array is:

- A. Using a For loop with Auto-indexing
- B. Placing a build array function in a While loop
- C. Initializing an array and then replacing elements in a While loop
- D. Using a While loop with Auto-Indexing

Correct Answer: A

QUESTION 2

You are inputting data that represents a circle. The circle data includes an x position, a y position, and a radius. All three pieces of data are double-precision. In the future, you might need to store the color of the circle, represented as an integer. How should you represent the circle on your front panel window?

- A. Three separate controls for the two positions and the radius.
- B. A cluster containing all of the data.
- C. A type definition containing a cluster.
- D. An array with three elements.

Correct Answer: C

QUESTION 3

Which combination of words correctly completes the following statement?

Unlike _____, which display an entire waveform that overwrites the data already stored, _____ update periodically and maintain a history of the data previously stored.

- A. Graphs; Charts
- B. Charts; Plots
- C. Plots; Graphs
- D. Charts; Graphs

Correct Answer: A

QUESTION 4



Variants are used for all of the following but:

- A. Passing values between programs written with different compilers
- B. Allowing software to achieve a greater degree of generality
- C. Representing any data type
- D. Converting from fixed point to floating point data

Correct Answer: D

QUESTION 5

Which of the following statements regarding the index of Arrays are NOT true?

- A. The index is used to access a particular element of an Array.
- B. The index ranges from 1 to n.
- C. A 2-D Array has both a column index and a row index.
- D. The index ranges from 0 to n-1.

Correct Answer: B

[Latest CLAD Dumps](#)

[CLAD Practice Test](#)

[CLAD Braindumps](#)