

COG-310^{Q&As}

IBM Cognos TM1 Developer

Pass IBM COG-310 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/cog-310.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

An application developer created a script to load data into a cube using the TI tabs. He needs to edit the script that will update the cells of the cube.

Which of the following TI scripts contains this function?

- A. Prolog
- B. Metadata
- C. Data
- D. Epilog

Correct Answer: C

QUESTION 2

An application developer has created a lookup cube containing exchange rates. Which of the following functions should be used in the rule for the reporting cube?

A. DBRW

B. ELPAR

C. DB

D. IF

Correct Answer: C

QUESTION 3

Why would an application developer assign a negative weight to an element in a dimension?

- A. To store credit balances without a negative sign.
- B. To provide an alternate drill down path to the dimension.
- C. To display data in different formats.
- D. To store data in multiple hierarchies.

Correct Answer: A

QUESTION 4

An application developer needs to provide dates in a number of formats in a cube.



Which of the following should be used to do this?

- A. Create many time dimensions and use each accordingly.
- B. Create a single time dimension with attributes for the formats.
- C. Create many time dimensions and use them all in the same cube.
- D. Create a single time dimension with rules in cubes to alter the appearance.

Correct Answer: B

QUESTION 5

Which of the following rules should appear first in a rule file?

A. []

- B. [\\'Gross Margin %\\']
- C. [\\'Gross Margin %\\', \\'January\\']
- D. [\\'Gross Margin %\\', \\'Total Year\\'].

Correct Answer: C

COG-310 VCE Dumps

COG-310 Practice Test

COG-310 Braindumps