



# COG-310<sup>Q&As</sup>

IBM Cognos TM1 Developer

## Pass IBM COG-310 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/cog-310.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





#### QUESTION 1

Why would an application developer use multiple time dimensions in a cube?

- A. Users need to forecast sales for the next quarter.
- B. Users need to estimate future inventory needs for the year.
- C. Users need to anticipate units sold of a new product line.
- D. Users need to create financial statements for last year.

Correct Answer: D

---

#### QUESTION 2

Which of the following attributes can be used to display element names in multiple languages?

- A. Text
- B. String
- C. Alias
- D. Format

Correct Answer: C

---

#### QUESTION 3

What can an application developer provide to automate the save process for all TM1 objects?

- A. A script to store ODBC data in a cube.
- B. A chore with scripts to write data to all cubes.
- C. A rule to save data in all cubes.
- D. A chore with scripts to write data to all dimensions.

Correct Answer: B

---

#### QUESTION 4

When creating a drill process to drill to data from an external source, which of the following must be created?

- A. An ODBC connection.
- B. A process to read the data into a cube.



C. A cube containing the data.

D. A view of the data.

Correct Answer: A

---

#### QUESTION 5

Which of the following rules should be fed?

A. []=C:\\'Price\\'\*\\'Cost\\';

B. []=N:\\'Price\\'\*\\'Cost\\';

C. []=S:\\'Price\*Cost\\';

D. []=C:\\'Price\\'\\'Cost\\';

Correct Answer: B

[Latest COG-310 Dumps](#)

[COG-310 VCE Dumps](#)

[COG-310 Study Guide](#)