



# C\_TPLM30\_66<sup>Q&As</sup>

SAP Certified Application Associate - Enterprise Asset Management  
(Maintenance & Repair) with SAP ERP 6.0 EHP6





**Pass SAP C\_TPLM30\_66 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.passapply.com/c\\_tplm30\\_66.html](https://www.passapply.com/c_tplm30_66.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official  
Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

What are the prerequisites for creating a capacity requirement in a maintenance order operation? (Choose two)

- A. The performing work center must have available capacity data.
- B. The performing work center must have a control key with the Determine Capacity Requirements indicator set.
- C. The numeric value for Work in the order operation must be greater than 0.
- D. The operation must have a control key with the Determine Capacity Requirements indicator set.

Correct Answer: CD

---

#### QUESTION 2

In order costing configuration, for what is the allocation structure used?

- A. To provide a method of consolidating costs in the Plant Maintenance Information System
- B. To allocate costs to a hierarchy of maintenance technical objects
- C. To determine the cost elements that are allowed in the plant maintenance order
- D. To determine the settlement receiving elements for costs debited to the order

Correct Answer: D

---

#### QUESTION 3

Your customer wants to subdivide the maintenance organization by production responsibility.

What do you use to designate the contact person for coordination between production and plant maintenance?

- A. Plant section
- B. Production cost center
- C. Work center
- D. Controlling area

Correct Answer: A

---

#### QUESTION 4

What are consequences of activating alternative labeling for functional locations?

- A. You can assign a serial number to a functional location.



- B. You can change the primary functional location label and keep the old label as a historical functional location label.
- C. The company code is automatically included in the functional location label.
- D. You can change the primary functional location label and delete the old functional location label.

Correct Answer: B

---

#### QUESTION 5

A maintenance technician replaces a defective counter with a new counter.

Before the users can create a standard measuring document for the new counter, what step(s) must they perform?

- A. Create a new technical object to represent the new measuring point.
- B. Create a special measuring document and set the Counter Replacement indicator.
- C. Dismantle the old measuring point and create a new measuring point.
- D. Create a new measuring point and change the measuring point from which the measurement reading was transferred.

Correct Answer: B

[Latest C\\_TPLM30\\_66 Dumps](#)

[C\\_TPLM30\\_66 VCE Dumps](#)

[C\\_TPLM30\\_66 Practice Test](#)