



C_TPLM40_65^{Q&As}

SAP Certified Application Associate - Quality Management with SAP
ERP 6.0 EHP5

Pass SAP C_TPLM40_65 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/c_tplm40_65.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official
Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Many SAP systems such as SAP ECC, SAP EP, SAP CRM and SAP SRM use the SAP NetWeaver AS.

- A. Incorrect
- B. Correct

Correct Answer: B

QUESTION 2

You can create the QM order from the quality notification.

- A. Incorrect
- B. Correct

Correct Answer: B

QUESTION 3

Specifications are copied from the inspection lot to the inspection plan.

- A. Incorrect
- B. Correct

Correct Answer: A

QUESTION 4

Which statements are correct? (More than one answer is true.)

- A. An inspection lot can be created automatically or manually.
- B. Results recording cannot be carried out after the sample size has been determined.
- C. When the indicator "QM procurement active" is set, quality management in procurement is activated for all plants of a client.
- D. Details for the QM specific procurement processes as plant level are determined using the QM control key.

Correct Answer: AD



QUESTION 5

A master inspection characteristic is an inspection characteristic that has been defined for frequent use in task lists or should be evaluated for all inspection plans.

- A. Correct
- B. Incorrect

Correct Answer: A

[Latest C_TPLM40_65 Dumps](#)

[C_TPLM40_65 Study Guide](#)

[C_TPLM40_65 Braindumps](#)