



# CORESPRINGV3.2<sup>Q&As</sup>

Core-Spring (based on Spring 3.2)

## Pass SpringSource CORESPRINGV3.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/corespringv3-2.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by  
SpringSource Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which statement concerning Aspect Oriented Programming (AOP) is true (Select one)

- A. AOP modularizes cross-cutting concerns
- B. Spring AOP implements aspects using the Proxy pattern
- C. Three of the advice types are "before", "after" and "around"
- D. All of the above

Correct Answer: D

---

### QUESTION 2

Consider the following complete configuration sample:

Which of the following statements is true? (Select one)

- A. This configuration is correct
- B. This configuration is not valid because the first bean should have an id. Its value should be "rewardNetwork".
- C. This configuration is not valid because the second bean should have an id. Its value should be "accountRepository".
- D. Both (b) and (c)

Correct Answer: C

---

### QUESTION 3

Assuming a web application context name of "rewardsonline", a servlet mapping of "/admin/\*\*", and an incoming URL of "/rewardsonline/admin/accounts/show", what is the URL used for Spring MVC request-mapping purposes? (select one)

- A. /rewardsonline/admin/accounts/show
- B. /admin/acounts/show
- C. /accounts/show
- D. /show



Correct Answer: C

---

#### QUESTION 4

Which of the following statements is NOT true about advice types (select one)

- A. The Before advice method is able to obtain information about the target method's return type
- B. The After advice method is able to obtain information about the target method's return type
- C. The Before advice method is able to obtain the target method's return value
- D. The After advice method is able to obtain the target method's return value

Correct Answer: C

---

#### QUESTION 5

Consider the following code sample which creates an ApplicationContext from a file called "applicationconfig.xml" in the "rewards.internal" package, and a file called test-infra-config.xml in the current folder: `ApplicationContext context = new FileSystemXmlApplicationContext("classpath:rewards.internal.application-config.xml", "file:test-infra-config.xml");` Which of those statements is true? (select one)

- A. The use of the "file" prefix is not necessary
- B. The use of the "classpath" prefix is not necessary
- C. The use of the "." separator is correct
- D. Both a and b

Correct Answer: A

[CORESPRINGV3.2 PDF Dumps](#)

[CORESPRINGV3.2 VCE Dumps](#)

[CORESPRINGV3.2 Practice Test](#)