



CORESPRINGV3.2^{Q&As}

Core-Spring (based on Spring 3.2)

Pass SpringSource CORESPRINGV3.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/corespringv3-2.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by
SpringSource Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Method level security can be configured using which of the following mechanisms? (select one)

- A. Using the @Secured annotation on methods to be secured
- B. Using the @RolesAllowed annotation on methods to be secured
- C. Configuring using a pointcut expression in Spring XML configuration file
- D. All of the above

Correct Answer: D

QUESTION 2

Using Spring AOP, which of the following Spring annotations cause behavior to be added (select one)

- A. @Secured
- B. @Transactional
- C. Both a and b
- D. Neither a or b

Correct Answer: C

QUESTION 3

Which of the following statements is true concerning configuring JMS Resources with Spring? (Select one)

- A. Spring cannot use a standalone JMS provider
- B. Spring can use the JMS resources provided by an application server
- C. The ConnectionFactory cannot be standalone
- D. The ConnectionFactory cannot be retrieved from JNDI

Correct Answer: B

QUESTION 4

```
import com.springsource.service.*;
```

```
...
```

```
@Configuration
```



```
public class AppConfig {  
  
    @Bean  
  
    public ClientService clientService() {  
  
        return new ClientServiceImpl();  
  
    }  
  
}
```

What is the id of the declared bean? (Select one)

- A. clientService (starting with lower-case "c")
- B. ClientService (starting with capital "C")
- C. com.springsource.service.ClientService
- D. com.springsource.service.ClientServiceImpl

Correct Answer: A

QUESTION 5

Consider the following Spring Security configuration