

DC0-261^{Q&As}

Dell Storage Networking Professional Exam - Version 2

Pass Dell DC0-261 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/dc0-261.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Dell Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/dc0-261.html 2024 Latest passapply DC0-261 PDF and VCE dumps Download

QUESTION 1

How many LUNs are required for the Write Intent Log (WIL)?

- A. one per array
- B. two per array
- C. two per each mirrored LUN
- D. one per each mirrored LUN

Correct Answer: B

QUESTION 2

Which three statements are correct about zoning with Brocade switches? (Choose three.)

- A. Zoning configuration information is stored on the hosts.
- B. Zone aliases are not required to define a zone.
- C. A zone can be included in more than one zone configuration.
- D. Each zone must be given a unique name.
- E. Each device can be included in only one zone.

Correct Answer: BCD

QUESTION 3

Which two statements describe supported capabilities of MirrorView? (Choose two.)

- A. UsingMirrorView can guarantee that the source and target LUNs will be identical, because it uses synchronous writes.
- B. MirrorView can support bi-directional remote mirroring.
- C. You can use $\mbox{\it Mirror View}$ to synchronously mirror data up to 100 Kilometers.
- D. BecauseMirrorView runs on the host, it consumes none of the storage array\\'s processing power.

Correct Answer: AB

QUESTION 4

Which three statements about the CX300 are true. (Choose three.)



https://www.passapply.com/dc0-261.html

2024 Latest passapply DC0-261 PDF and VCE dumps Download

- A. Additional DAEs are attached by cabling the EXP port to the PRI port.
- B. The back-end connector on the Disk Processor Enclosure connects to the EXP connector on the DAE2.
- C. The Enclosure Address Switch on the first DAE2 is set to 1.
- D. The back-end connector on the DPE connects to the PRI connector on the DAE2.

Correct Answer: ACD

QUESTION 5

Which web address is used for the initial setup of a storage processor on a CX-series array?

- A. https://168.192.1.1/setup
- B. http://192.168.1.1/setup
- C. http://168.192.1.1/initialize
- D. https://192.168.1.1/setup

Correct Answer: B

DC0-261 Practice Test DC0-261 Exam Questions

DC0-261 Braindumps