



E20-326^{Q&As}

Symmetrix Solutions Design Exam for Technology Architects Exam

Pass EMC E20-326 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e20-326.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

What is the functional description for Tier Advisor?

- A. An interactive performance modeling tool.
- B. A peak performance analysis tool.
- C. A tool that helps calculate DA utilization.
- D. A tool that recommends the right number of VMAX engines.

Correct Answer: A

QUESTION 2

A customer is running an application on older storage equipment that is about to be replaced. During refresh planning, the skew for the application is determined to be 98/2.


Which default policy from Tier Advisor would be applicable for this workload?

- A. 2% EFD, 10% FC, 100% SATA
- B. 3% EFD, 0% FC, 97% SATA
- C. 5% EFD, 0% FC, 95% SATA
- D. 98% EFD, 2% FC, 100% SATA

Correct Answer: B

QUESTION 3

Refer to the exhibit.



A company plans to deploy a one-engine Symmetrix VMAX array in their VMware vSphere environment. The ESXi hosts will be connected to the VMAX array over a FC SAN.

What is the recommended best practice when zoning an ESXi host with two HBAs to the VMAX?

- A. HBA 1 to Port E0 on Odd (7) Director HBA 1 to Port E0 on Even (8) Director HBA 2 to Port G0 on Odd (7) Director HBA 2 to Port G0 on Even (8) Director
- B. HBA 1 to Port E0 on Odd (7) Director HBA 1 to Port G0 on Odd (7) Director HBA 2 to Port E0 on Even (8) Director HBA 2 to Port G0 on Even (8) Director
- C. HBA 1 to Port E0 on Odd (7) Director HBA 1 to Port E1 on Odd (7) Director HBA 2 to Port G0 on Even (8) Director HBA 2 to Port G1 on Even (8) Director
- D. HBA 1 to Port E0 on Odd (7) Director HBA 1 to Port F0 on Odd (7) Director HBA 2 to Port G0 on Odd (7) Director HBA 2 to Port H0 on Odd (7) Director

Correct Answer: A

QUESTION 4

A customer is interested in utilizing TimeFinder/Snap to generate a backup copy of an application every six hours. In order for you to calculate the SAVE Pool requirements you will need to run Change Tracker. To which value should you set the reset interval length for DeltaMark?

- A. 21600
- B. 10800
- C. 86400
- D. 32400



Correct Answer: A

QUESTION 5

What is the EMC recommended network quality for SRDF/A over GigE?

- A. Less than 0.1% packet loss
- B. Less than 0.01% packet loss
- C. Less than 0.25% packet loss
- D. Less than 1% packet loss

Correct Answer: A

[E20-326 PDF Dumps](#)

[E20-326 Practice Test](#)

[E20-326 Exam Questions](#)