



# E20-326<sup>Q&As</sup>

Symmetrix Solutions Design Exam for Technology Architects Exam

## Pass EMC E20-326 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e20-326.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





#### QUESTION 1

You are designing a Symmetrix VMAX Virtual Provisioning solution for a VMware vSphere environment. Which format does EMC recommend when creating a virtual disk for a virtual machine?

- A. zeroedthick
- B. eagerzeroedthick
- C. thin
- D. 2gbsparse

Correct Answer: A

---

#### QUESTION 2

When does the ACOFW behavior apply in a TimeFinder/Snap environment?

- A. During writes to protected tracks on the source device
- B. During writes to protected tracks on the virtual device
- C. During all writes to the source device
- D. During all writes to the virtual device

Correct Answer: A

---

#### QUESTION 3

A Symmetrix VMAX has been configured with Dynamic Cache Partitions. What is a criterion that must be met for a cache slot to be eligible for donation?

- A. The fall through time must be greater than the donation age
- B. The fall through time must be less than the donation age
- C. The cache slot must belong to a static partition
- D. There must be available cache slots in the default partition

Correct Answer: A

---

#### QUESTION 4

A customer has several internal organizational units with different requirements for their unique lines of business applications. Which approach provides the most predictable performance for each business unit on the array?



- A. Segregate the BCV/Clones/Pools across the front end, back end, engines, and disk to optimize each workload on its allocation of system elements.
- B. Evenly distribute the BCV/Clones/Pools across the front end, back end, engines, and disk to optimize use of all system resources.
- C. Evenly distribute the BCV/Clones/Pools across the front end, back end, engines, and disk, but only if the workloads are highly concurrent so that all system resources can be optimized.
- D. Segregate the BCV/Clones/Pools across the front end, back end, and engines, but only if the workloads demonstrate very low concurrence.

Correct Answer: A

---

#### QUESTION 5

You have used BCSD to model an SRDF/S solution. What information can be obtained from the model?

- A. Bandwidth requirement, RA utilization, and volume exceptions
- B. RA utilization, DA and cache utilization, and host service time
- C. Cache utilization, RA utilization, and potential problem volumes
- D. Bandwidth requirement, RA utilization, and network latency

Correct Answer: A

[E20-326 PDF Dumps](#)

[E20-326 VCE Dumps](#)

[E20-326 Braindumps](#)