



# E20-329<sup>Q&As</sup>

Technology Architect Backup and Recovery Solutions Design Exam

## Pass EMC E20-329 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e20-329.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

In a Microsoft Windows environment, how fast does a split have to occur for VSS to work?

- A. Within 2 seconds
- B. Within 5 seconds
- C. Within 10 seconds
- D. Within 15 seconds

Correct Answer: C

---

### QUESTION 2

An EMC NetWorker customer is experiencing poor backup performance. Your analysis determines that significant host resources are used to manage low-level network handshaking operations during backup. Based on EMC recommendations, what can be done to alleviate the handshake issue?

- A. Install 3 TCP offload engine card
- B. Install a second network interface card
- C. Upgrade the LAN
- D. Upgrade the network driver

Correct Answer: B

---

### QUESTION 3

A potential EMC customer has a T1 circuit between their production data center and their disaster recovery data center that are 2,000 miles apart. They currently back up their Linux systems to physical tape using HP Data Protector. They back up an average of 20 TB each night.

The customer wants a backup solution that improves backup and restore reliability, reduces overall costs, and eliminates physical tape. What is a recommended solution?

- A. Data Domain with replication over IP
- B. EMC Disk Library with Consolidated Media Management over FC
- C. EMC Disk Library with Remote Copy over IP
- D. Data Domain with OST and replication over IP

Correct Answer: A

---

**QUESTION 4**

A customer is interested in implementing two DL4000 systems. One system is located at a central site. The second is at a remote site as a target for Remote Copy operations. Policies will be configured to replicate certain tapes to the target.

Which process is necessary to make the virtual tapes available on the target?

- A. Promote the replica resources to virtual tapes and move them into a VTL
- B. Move the replicated virtual tapes from the virtual vault to a VTL
- C. Remove the replication setting on the target virtual tapes to make them write enabled
- D. Import the replicated virtual tapes on the target

Correct Answer: A

---

**QUESTION 5**

A customer uses EMC NetWorker on HP-UX to back up 20 TB per day to physical tape. They currently restore 10 TB of database data twice a week. The customer needs a new backup solution that will reduce backup and restore times and is highly available.

What is a recommended EMC solution?

- A. Dual-engine EMC Disk Library appliance without AEF
- B. Dual-engine Data Domain appliance with OST
- C. Dual-engine EMC Disk Library appliance with AEF
- D. Dual-engine Data Domain appliance without OST

Correct Answer: A

[E20-329 PDF Dumps](#)

[E20-329 Practice Test](#)

[E20-329 Exam Questions](#)