



E20-361^{Q&As}

Network Attached Storage (NAS) Implementation Exam

Pass EMC E20-361 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e20-361.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

On a Celerra NS gateway, the system LUNs must be configured on a RAID. 5 group. Which parameters must be supported?

- A. Any 6+1 RAID. 5 group
- B. Any RAID. 5 group
- C. Dedicated 4+1 RAID. 5
- D. Dedicated 8+1 RAID. 5 group

Correct Answer: C

QUESTION 2

Due to a Control Station failure, a customer is now concerned about the availability of their Data Mover in case of a Data Mover failover. What would you tell the customer?

- A. Control Station needs to be running for a Data Mover failover to occur
- B. Data Mover failover does not depend on the Control Station to occur
- C. Data Mover failover will occur but failback will fail
- D. Data Mover will lose all the connections

Correct Answer: A

QUESTION 3

When you configure a CIFS Server on a Virtual Data Mover, which dynamic configuration information is only saved to the Virtual Data Mover?

- A. Home directory information
- B. NFS file system information
- C. Usermapper information
- D. Virus checker information

Correct Answer: A

QUESTION 4

You are implementing a NAS gateway into a customer's current 1 Gb SAN environment. However, you are experiencing difficulties with connectivity to the switches.



How would you verify the negotiated speed of the Data Mover fibre ports?

- A. Reboot the Control Station, interrupt the boot process, and review the FCCBOOT configurat ion
- B. Reboot the Data Movers, interrupt the boot process, and review the FCCBOOT configuration
- C. Reboot the fabric switch, interrupt the boot process, and review the FCCBOOT configuration
- D. Reboot the storage array SP, interrupt the boot process, and re view the FCCBOOT configuration

Correct Answer: B

QUESTION 5

What is a method for a user to access the hidden ".ckpt" virtual directory created by SnapSure?

- A. Celerra Manager
- B. Enter the entire path into Start>Run>
- C. Only the Celerra administrator has access
- D. Windows Control Panel

Correct Answer: B

[Latest E20-361 Dumps](#)

[E20-361 Practice Test](#)

[E20-361 Exam Questions](#)