



E20-377^{Q&As}

RecoverPoint/SE Specialist Exam for Implementation Engineers

Pass EMC E20-377 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e20-377.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

When the first device added to a thin pool RAID, which other types of protected devices can be added to the same thin pool?

- A. RAID 5
- B. RAID 1
- C. RAID 6
- D. Any RAID type

Correct Answer: B

QUESTION 2

Open Replicator pull will be used to move data between a third party array and a Symmetrix V-Max array. What is recommended before starting the Open Replicator session?

- A. Ensure that the remote devices are Host read/write enabled
- B. Ensure that the control devices are Not Ready
- C. Ensure that the remote devices are Host inaccessible
- D. Ensure that the control devices are Write Disabled

Correct Answer: C

QUESTION 3

What is the maximum volume size configurable on a V-Max?

- A. 240 GB
- B. 64GB
- C. 256 GB
- D. 480 GB

Correct Answer: A

QUESTION 4

With the DMX-3 and DMX4, where is the VCM database stored?

- A. Symmetrix Logical Volume



- B. Symmetrix File System
- C. Symmetrix Virtual Device
- D. Symmetrix VCM Device

Correct Answer: B

QUESTION 5

What is the maximum number of HBAs that can access a Symmetrix V-Max array FA port concurrently?

- A. 256
- B. 512
- C. 128
- D. 1,024

Correct Answer: A

[E20-377 VCE Dumps](#)

[E20-377 Practice Test](#)

[E20-377 Study Guide](#)