



E20-377^{Q&As}

RecoverPoint/SE Specialist Exam for Implementation Engineers

Pass EMC E20-377 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e20-377.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

If a customer wants to restrict certain thin pools from reaching their capacity limit, which option would the customer use?

- A. Set oversubscription
- B. Set data device
- C. Set thin device
- D. Set utilization threshold

Correct Answer: A

QUESTION 2

Which UNIX utility or tool would you use to perform an HP-UX host-based data migration?

- A. migratepv
- B. pvmove
- C. vxmigrate
- D. vxevac

Correct Answer: B

QUESTION 3

Two SRDF/A sessions are grouped together to be managed using Multi-Session Consistency. What happens to cycle switching if Session 1 completes its current Transmit cycle before Session 2 can complete its current Transmit cycle?

- A. Both sessions will be dropped.
- B. Cycle switch for both sessions will be delayed.
- C. Cycle switch for Session 1 will proceed independently of Session 2.
- D. Cycle switching will be suspended for both sessions.

Correct Answer: B

QUESTION 4

Refer to the Exhibit.


Server A and Server B are running two different applications on SRDF R1 devices on the Source



Symmetrix. All the R1 devices belong to the same RDF group. Both applications are replicated with SRDF/S.

A disaster has occurred at the source site.

Which step is needed to restart the applications at the remote site?



- A. Execute SRDF failover for all devices in the RDF group
- B. Halt the applications on Server A and B and then execute SRDF failover for all devices in the RDF group
- C. Execute SRDF fallback for all devices in the RDF group
- D. Shut down Server A and B and then execute SRDF fallback for all devices in the RDF group

Correct Answer: A



QUESTION 5

A storage administrator wants to know, what is the maximum number of non-differential TimeFinder/Clone copies they can create against a standard source device?

- A. 16
- B. 15
- C. 32
- D. 8

Correct Answer: A

[Latest E20-377 Dumps](#)

[E20-377 Exam Questions](#)

[E20-377 Braindumps](#)