

# E20-377<sup>Q&As</sup>

RecoverPoint/SE Specialist Exam for Implementation Engineers

# Pass EMC E20-377 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/e20-377.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# https://www.passapply.com/e20-377.html 2024 Latest passapply E20-377 PDF and VCE dumps Download

## **QUESTION 1**

A customer wants to deploy Concurrent SRDF with RAID 1 R1 devices in a Symmetrix V-Max array.

TimeFinder/Mirror scripts and RAID 1 BCVs will be used to take local point-in-time copies of the R1 devices.

How many mirror positions will remain for the R1 devices in this configuration?

- A. 0
- B. 1
- C. 2
- D. 3

Correct Answer: B

#### **QUESTION 2**

A customer would like to implement Virtual Provisioning in the Symmetrix V-Max array. What is the requirement for the data devices in the thin pool?

- A. Should be the same protection type
- B. Should belong to a single engine
- C. Should belong to different disk groups
- D. Should be RAID 5

Correct Answer: A

### **QUESTION 3**

Which command is used to set or reset HBA port flags on Symmetric arrays running Enable 7.0 Enginuity 5874?

- A. symcfg
- B. symmask
- C. symconfigure
- D. symaccess

Correct Answer: D



# https://www.passapply.com/e20-377.html

2024 Latest passapply E20-377 PDF and VCE dumps Download

## **QUESTION 4**

Which document should a EMC customer consult if there are questions about a system design during an SRDF/A engagement?

- A. Configuration Guide
- B. Level of Effort
- C. Practitioner\\'s Guide
- D. Scope Document

Correct Answer: A


#### **QUESTION 5**

Refer to the Exhibit.

A Symmetrix is configured with the two RDF Groups RDFG 1 and RDFG 2 as shown. The SRDF R1 devices used by Application (App 1) are in RDFG 1. The SRDF R1 devices used by Application 2 (App 2) are in RDFG 2.

What should be created to allow independent management of SRDF/A sessions for Applications 1 and 2?





- A. One device group with all the devices in RDFG 1 and RDFG 2
- B. One file with the App 1 and the App 2 devices
- C. Two device groups, one with the App 1 devices and another with the App 2 devices
- D. One composite group with all the devices in RDFG 1 and RDFG 2

Correct Answer: C

<u>Latest E20-377 Dumps</u> <u>E20-377 PDF Dumps</u> <u>E20-377 Exam Questions</u>