



# E20-385<sup>Q&As</sup>

Data Domain Specialist Exam for Implementation Engineers

**Pass EMC E20-385 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e20-385.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An EMC Data Domain customer wants to add a static route using the CLI. Which command is used?

- A. route add
- B. net config
- C. route config
- D. config route

Correct Answer: A

---

### QUESTION 2

Which benefit is provided by EMC Data Domain Stream-Informed Segment Layout (SISL) scaling architecture?

- A. Deduplication of data inline which eliminates the need to write duplicate data to disk
- B. Ability to quickly deduplicate data previously stored on the Data Domain system which allows faster ingest of data
- C. Ability to verify the data stored in the Data Domain file system for reliability
- D. Ability to transparently and automatically recover from disk read errors using RAID parity

Correct Answer: A

---

### QUESTION 3

An EMC Data Domain customer notices that backups are exceeding the backup window every Tuesday morning.

What should be done to help the backup complete within the desired window without introducing locality or space reclamation issues?

- A. Reduce the file system cleaning throttle percentage
- B. Increase the file system cleaning frequency to twice per week
- C. Disable file system cleaning
- D. Perform manual file system cleaning daily

Correct Answer: A

---



#### QUESTION 4

You are tasked with integrating two new EMC Data Domain systems into an existing EMC NetWorker environment. Due to customer requirements, a VTL will be created on each Data Domain and drives will be presented to each NetWorker storage node.

Which best practice should be provided to the customer for this configuration?

- A. Configure persistent binding on all hosts
- B. Ensure less than five fabric hops
- C. Use switch encryption between the Data Domain and storage nodes
- D. Multiplex data on the tape drives on all storage nodes

Correct Answer: A

---

#### QUESTION 5

What can an optional PCI-x Card slot be used for on an EMC Data Domain system?

- A. 1 GbE, 10 GbE, HBA VTL, SAS HBA only
- B. 1 GbE, 10 GbE, SAS HBA only
- C. 1 GbE and SAS HBA only
- D. 1 GbE, 10 GbE, HBA VTL only

Correct Answer: A

[E20-385 Practice Test](#)

[E20-385 Study Guide](#)

[E20-385 Exam Questions](#)