



E20-390^{Q&As}

VNX Solutions Specialist Exam for Implementation Engineers

Pass EMC E20-390 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e20-390.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What specific VNX model uses a Storage Processor Enclosure?

- A. VNX 5700
- B. VNX 5100
- C. VNXe 3300
- D. VNX 5300

Correct Answer: A

QUESTION 2

A Windows Server 2003 host is connected to a VNX array. Replication software is used. What is the recommended alignment offset?

- A. 64 KB
- B. 512 KB
- C. 1024 KB
- D. 2048 KB

Correct Answer: C

QUESTION 3

Which host collection utility can be run on Linux to collect logs, hardware, driver, and patch information for submission to E-Lab Advisor?

- A. EMC Grab
- B. EMC Collect
- C. EMC HEAT
- D. EMC Reports

Correct Answer: A

**QUESTION 4**

What is the back-end bus speed, per lane, on the VNX series array?

- A. 2 Gb
- B. 4 Gb
- C. 6 Gb
- D. 8 Gb

Correct Answer: C

Explanation:

6 Gb/s x 4 lanes SAS back end improves performance and availability

The back end of the VNX series uses a totally new architecture that dramatically improves performance and availability.

The 6 Gb/s x 4 lanes SAS back end provides speeds of up to 3 GB/s, which is a significant improvement over previous-generation FC back ends that provide speeds of 0.25 GB/s and 0.50 GB/s. This new point-to-point

QUESTION 5

What is a valid characteristic of a concatenated metaLUN? Concatenated metaLUNs:

- A. can be different RAID types and sizes.
- B. can mix thick and thin LUNs.
- C. cannot be expanded once created.
- D. always have a uniform performance profile.

Correct Answer: A

[Latest E20-390 Dumps](#)

[E20-390 Practice Test](#)

[E20-390 Exam Questions](#)