



E20-517^{Q&As}

Symmetrix Solutions Specialist Exam for Storage Administrators

Pass EMC E20-517 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e20-517.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What are valid actions to use with the symrdf command?

- A. suspend, resume, set mode, failover, failback
- B. suspend, resume, write_enable, terminate
- C. resume, establish, failover, failback, activate
- D. resume, restore, recreate, create, split

Correct Answer: A

QUESTION 2

A TimeFinder/Clone session has been created with the -precopy option. The session has then been activated.

What will be the state of the Clone target device?

- A. Read/Write Enabled
- B. Not Ready
- C. Held
- D. Write Disabled

Correct Answer: A

QUESTION 3

A Symmetrix VMAX customer wants the ability to perform at least four concurrent FAST swaps.

What is the minimum required DRV configuration?

- A. 4 DRVs equal to or larger than the largest device size
- B. 4 DRVs for every device size in the configuration
- C. 8 DRVs equal to or larger than the largest device size
- D. 8 DRVs for every device size in the configuration

Correct Answer: A

QUESTION 4



Which statements best describe virtual LUN migration functionalities?

A. - Moves data within the same array.

-Can change disk type.

-Does not affect local replication.

B. - Supports thick devices only.

-Moves data within the same array.

-Affects remote replication.

C. - Will not disrupt hosts or applications.

-Supports thin devices only.

-Does not affect replication.

D. - Migrating data to different array.

-Cannot change disk type.

-Does not affect remote replication.

Correct Answer: A

QUESTION 5

A Symmetrix VMAX 40K customer has recently upgraded the Enginuity level to 5876 Q4 2012 SR. The customer is interested in implementing the FAST VP compression feature.

What is a required step to enable FAST VP compression?

A. Set the FAST VP time to compress parameter

B. Enable FAST VP compression when associating storage group

C. Set the FAST VP compression rate

D. Enable FAST VP compression when adding thin pool to tier

Correct Answer: A