



# E20-593<sup>Q&As</sup>

Backup and Recovery Implementation Exam

**Pass EMC E20-593 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e20-593.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

How is the Dell EMC NetWorker multi-tenancy facility option enabled?

- A. Configuring clients to a multi-tenant enabled Data Domain device
- B. Configuring a restricted datazone resource on a NetWorker server
- C. Adding a license to increase the number of managed zones
- D. Configuring a tenant administrator in a restricted datazone

Correct Answer: B

Reference: <https://www.emc.com/collateral/TechnicalDocument/docu81539.pdf>(page 17)

---

### QUESTION 2

Using EMC NetWorker Module for Microsoft Applications, an EMC NetWorker administrator backs up a Microsoft Exchange server which resides on an EMC CLARiiON disk array.

What best describes supported features in this case?

- A. Server-less backup is supported.
- B. Server-less backup is not supported.
- C. Rollback recovery is not supported.
- D. Manual backup is supported.

Correct Answer: A

---

### QUESTION 3

You are logged in to your Windows-based EMC NetWorker server and are attempting to manually run a backup group on the EMC NetWorker Management Console. You are receiving an error when attempting to manually start the group.

What is the most likely reason for the error?

- A. Your user id does not have system administrator privileges.
- B. You cannot manually start backups from the EMC NetWorker Management Console.
- C. The backup group is disabled on the EMC NetWorker Server.
- D. You must run the group backup from the command line.

Correct Answer: A

---



#### QUESTION 4

In an EMC NetWorker environment, Auto Media Management is currently enabled on the autochanger. The customer requires unlabeled volumes in the autochanger to be used before recyclable volumes are reused.

In addition, the unlabeled volumes need to be automatically labeled before they are used. How can this be achieved?

- A. Disable Auto Media Management and set all labeled volumes to a mode of Manual Recycle.
- B. Set all labeled volumes to a mode of Manual Recycle.
- C. Set all labeled volumes to a mode of Automatic Recycle.
- D. Disable Auto Media Management.

Correct Answer: B

---

#### QUESTION 5

An EMC NetWorker backup client contains 650 GB of data in 750,000 files and is presently being backed up by an EMC NetWorker server to a tape library with six tape drives connected to a Fibre Channel switch. Due to the total size of its data and the number of files, the backup cannot complete during the required backup window.

According to EMC best practice, how can this issue be resolved?

- A. Configure the client as a dedicated storage node and assign a tape device to the client.
- B. Add another storage node to the NetWorker environment distributing the load and bandwidth across the environment.
- C. Add four additional tape drives to the library.
- D. Increase the number of Fibre Channel ports into the SAN.

Correct Answer: A

[Latest E20-593 Dumps](#)

[E20-593 PDF Dumps](#)

[E20-593 Study Guide](#)