



E20-616^{Q&As}

Symmetrix Installation and Troubleshooting Specialist

Pass EMC E20-616 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e20-616.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

What is a SymmWin Best Practice when configuring disk drives?

- A. Smaller drives perform better.
- B. Go deep then wide when adding drives.
- C. Protection type is irrelevant.
- D. Use Raid 5 instead of Raid 6 when data availability is secondary.

Correct Answer: A

QUESTION 2

Which two System Bays use the same component layout when fully populated?

- A. VMAX 10K 3 and 4
- B. VMAX 10K 1 and 2
- C. VMAX 10K 1 and 4
- D. VMAX 10K 2 and 4

Correct Answer: A

QUESTION 3

What is a characteristic of VMAX 40K Power Vault Hypers (PVDs)?

- A. PVDs are 9 GB in size.
- B. There are two PVDs per physical disk drive.
- C. Space is allocated for PVDs in Global Memory.
- D. PVDs are 5 GB in size.

Correct Answer: A

QUESTION 4

Refer to the Exhibit.



Server Rear



You are implementing ESRS. Into which Ethernet port do you plug the IP cable?

- A. 8
- B. 7
- C. 6
- D. 5

Correct Answer: A

QUESTION 5

Refer to the exhibit.



Management Module connections



You have a Management Module installed in the lowest Symmetrix VMAX 40K Engine number in system bay 2. In which position is the service processor cable installed?

- A. 4
- B. 5
- C. 6
- D. 7

Correct Answer: B

[Latest E20-616 Dumps](#)

[E20-616 Exam Questions](#)

[E20-616 Braindumps](#)