

E20-880^{Q&As}

VNX Solutions Expert Exam for Technology Architects

Pass EMC E20-880 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/e20-880.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/e20-880.html

QUESTION 1

Refer to the exhibit,

Specification	Value
Number of users (mai boxes) in Exchange environment	16,000
Number of messages sent or received per user per day	150 (0.15 IOPS)
Number of mailboxes per server	4,000 in a switchover configuration (2,000 active / 2,000 passive)
Database read/write ratio	3:2 (60/40 percent) in a mailbox resiliency configuration

You are proposing a storage solution using VNX to support a Microsoft Exchange 2010 virtual implementation on Microsoft Hyper-V. You have worked with the customer to understand the Exchange requirements, which are described in the exhibit. Based on availability, performance, and Exchange mailbox size requirements, you are recommending RAID 5 with 7.2K rpm NL/SAS disks.

Following EMC best practices, what is the minimum number of spindles required for	for this environment?
---	-----------------------

A. 14

B. 18

C. 27

D. 37

Correct Answer: C

QUESTION 2

The customer wants to display storage-system statistics in Unisphere.

What is the default polling interval (Minutes) for Statistics Logging?

A. 5

B. 10

C. 15

D. 20

Correct Answer: A

QUESTION 3



https://www.passapply.com/e20-880.html

2024 Latest passapply E20-880 PDF and VCE dumps Download

A customer implemented full SAN Copy with default settings in order to copy 60 DMX array volumes to a VNX storage system. After several hours, they determine that the process is taking much longer than expected. Which storage system configuration change will improve performance?

- A. Disable the CMI channel on the destination storage system
- B. Disable write cache for the Reserved LUN Pool on the source storage system
- C. Add faster LUNs to the Reserved LUN Pool
- D. Increase the throttle value

Correct Answer: B

QUESTION 4

Your customer would like to replicate their Oracle database between their two data centers. The data centers are located approximately 1500 km apart. Which array-based solution is best suited to replicate their database?

- A. MirrorView/A
- B. MirrorView/S
- C. SnapView
- D. DataGuard

Correct Answer: A

QUESTION 5

Your customer has LUNs with a total size of 25,000 GiB. The total I/O load is 10,000 IOPS, with a 4:1 R/W ratio. Analysis of your customer\\'s data indicates that data skew is 95%. RAID 5 is used exclusively in the environment.

How many 200 GB Flash drives would be needed to handle the load of the working data set?

- A. 5
- B. 10
- C. 15
- D. 20

Correct Answer: B

E20-880 VCE Dumps

E20-880 Study Guide

E20-880 Exam Questions