



# E20-885<sup>Q&As</sup>

VNX Solutions Expert Exam for Implementation Engineers

## Pass EMC E20-885 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e20-885.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A customer configures replication between two data movers for their VDM environment. The primary data mover has one 1 Gb copper ethernet port and the destination Data Mover has one 10 Gb optical network port. The customer completes a failover test and then remote clients report they are unable to access data. The customer requests your assistance. What is the most likely cause of the issue observed during failover test?

- A. The interface speeds do not match on both Data Movers
- B. The interface on the Data Movers have a Duplex mismatch
- C. The interface names do not match on both Data Movers
- D. The interface medium do not match between Data Movers

Correct Answer: C

---

### QUESTION 2

You have implemented Block Deduplication on a pool servicing a workload with a 60:40 read/write ratio, and consisting of small random IOs. This pool contains a large amount of duplicate data. After the first few deduplication processes, you notice that host response time has increased significantly.

What could be the cause of this impact on performance?

- A. A write ratio of more than 30%
- B. A workload with small random IOs
- C. A large amount of static data
- D. A small amount of unique data

Correct Answer: A

---

### QUESTION 3

A Storage Administrator with a VNX Unified solution is using the CLI to monitor a highly specific view of daily storage performance. They must type long commands to examine the desired statistical information. You have been asked to accelerate this task.

What is the most suitable solution?

- A. Create user-defined statGroups
- B. Use Unisphere Statistics for File
- C. Use Celerra Monitor Tool
- D. Collect statistics from log files



Correct Answer: A

---

#### QUESTION 4

A customer plans to implement and replicate CIFS on two new EMC VNX. The customer's existing environment recently suffered a long outage due to a computer virus. The customer wants to use CAVA in their new CIFS environment on VNX. Which configuration will satisfy this requirement?

- A. Create a Global CIFS Server on the physical Data Mover at the primary and DR sites.
- B. Configure the CAVA client on the Virtual Data Mover at the primary and DR sites.
- C. Configure the CAVA client on the VNX Control Station at the primary and DR sites.
- D. Create a Global CIFS Server on the Anti-Virus Engine at the primary and DR sites.

Correct Answer: A

---

#### QUESTION 5

A customer is implementing an Oracle database on an EMC VNX. Due to cost constraints, the customer cannot dedicate physical disks for the redo logs. How can the disks be laid out to reduce the probability of hitting the VNX write pending limit?

- A. Use a striped metavolume
- B. Use concatenated disks
- C. Use a large RAID 5 LUN
- D. Use a large RAID 1/0 LUN

Correct Answer: A

[E20-885 VCE Dumps](#)

[E20-885 Exam Questions](#)

[E20-885 Braindumps](#)