



E20-895^{Q&As}

Backup Recovery - Avamar Expert Exam for Implementation Engineers

Pass EMC E20-895 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e20-895.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An EMC customer is looking for options to back up their smaller remote sites with easy remote management, so they want to use Avamar Virtual Edition (AVE). Before installing ESX hardware at the remote sites they want to do a proof of concept using the existing ESX 4.1 server that they have at the data center.

They provisioned 2 TB of virtual disks using VMAX thick provisioning with RAID 5 protection and zeroed out all blocks using eager zeroing. They tested the backup of three servers and do not see an improvement.

According to best practices, what should the customer have done to avoid performance issues?

- A. Use RAID 10 for the virtual devices.
- B. Use ESX 5.0i to host the AVE server.
- C. Use thin devices for the virtual devices.
- D. Use lazy zeroing to zero out all blocks.

Correct Answer: A

QUESTION 2

A Microsoft SharePoint server has been performing backups to a Dell EMC Avamar server. The backup administrator wants to perform a GLR of a document, but is not sure if Dell EMC ItemPoint is installed. What is a characteristic of ItemPoint for SharePoint GLR?

- A. 3rd-party licensed application
- B. Included with Microsoft SharePoint
- C. Included with Windows 2016 and above
- D. Included as an option with Avamar SharePoint plug-in

Correct Answer: D

QUESTION 3

Click on the calculator icon in the upper left corner.

A current EMC Avamar customer is having trouble completing replication on a nightly basis. The customer's networking team sees that Avamar is only using about 20% of the available bandwidth on their 100 Mb/s WAN link. The latency or round trip time on the WAN link is 94 ms. The customer would like to tune replication to use more of the available bandwidth

What is the Bandwidth Delay Product for this link?

- A. 1335 KB



- B. 1147 KB
- C. 1534 KB
- D. 1748 KB

Correct Answer: B

QUESTION 4

A customer has an EMC VNX and a NetApp filer that they are using to provide network shares to their employees. The content on these devices is being protected by an EMC Avamar 7.0 with one accelerator node. The backup data is stored

on an integrated Data Domain running 5.3.

They are planning to consolidate their mixed environment by replacing the VNX and NetApp filers with two EMC Isilon systems.

What other changes must be made to support the new configuration?

- A. Backup data will have to be stored on the Avamar server.
- B. A second accelerator node will have to be configured.
- C. The accelerator node will need to be configured for dual NIC operation.
- D. The Data Domain OS must be upgraded to 5.4.

Correct Answer: A

QUESTION 5

An EMC Avamar customer has a backup environment consisting of three multi-node Avamar servers. You have been asked to help them configure a new Oracle database client for backup. To achieve acceptable performance for this new client, the customer wants to use multiple RMAN channels. What is a consideration of this configuration?

- A. More than two RMAN channels will decrease the deduplication rate
- B. Data from each RMAN channel must be sent to a separate Avamar server
- C. A maximum of four channels per client are supported
- D. A separate set of cache files are created on the client for each channel

Correct Answer: D
