



# EX200<sup>Q&As</sup>

Red Hat Certified System Administrator - RHCSA

## Pass RedHat EX200 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ex200.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Locate all the files owned by ira and copy them to the /root/findresults directory.

Correct Answer: Check the answer in explanation.

```
# find / -user ira > /root/findresults (if /root/findfiles is a file) # mkdir -p /root/findresults # find / -user ira -exec cp -a {} /root/findresults\; [ if /root/findfiles is a directory] ls /root/findresults
```

---

### QUESTION 2

Create the user named eric and deny to interactive login.

Correct Answer: Check the answer in explanation.

```
useradd eric
```

```
passwd eric
```

```
vi /etc/passwd
```

```
eric:x:505:505::/home/eric:/sbin/nologin
```

Which shell or program should start at login time is specified in /etc/passwd file? By default, Redhat Enterprise Linux assigns the /bin/bash shell to the users. To deny the interactive login, you should write /sbin/nologin or /bin/false instead of login shell.

---

### QUESTION 3

The user authentication has been provided by ldap domain in 192.168.0.254. According the following requirements to get ldapuser.

-LdapuserX must be able to login your system, X is your hostname number. But the ldapuser's home directory cannot be mounted, until you realize automatically mount by autofs server.

-All ldap user's password is "password".

Correct Answer: Check the answer in explanation.

system-config-authentication and



#### QUESTION 4

Configure the FTP service in your system, allow remote access to anonymous login and download the program by this service. Service is still running after system rebooting.

Correct Answer: Check the answer in explanation.

```
yum install vsftpd /etc/init.d/vsftpd start chkconfig vsftpd on
```

#### QUESTION 5

In the system, mounted the iso image /root/examine.iso to /mnt/iso directory. And enable automatic mount (permanent mount) after restart system.

Correct Answer: Check the answer in explanation.



```
mkdir -p /mnt/iso /etc/fstab: /root/examine.iso /mnt/iso iso9660 loop 0 0 mount -a mount | grep examine
```

[EX200 Practice Test](#)

[EX200 Exam Questions](#)

[EX200 Braindumps](#)