



EX300^{Q&As}

Red Hat Certified Engineer (RHCE)

Pass RedHat EX300 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/EX300.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

SIMULATION

There were two systems: system1, main system on which most of the configuration take place system2, some configuration here

Configure smb access. Share the /sambadir directory via SMB on serverX Your SMB server must be a member of the TESTGROUP workgroup The share name must be data The data share must be available to example.com domain clients only The data share must be browseable susan must have read access to the share, authenticating with the same password "password", if necessary Configure the serverX to share /opstack with SMB share name must be cluster The user frankenstein has readable, writeable, accessible to the /opstack SMB share Both users should have the SMB passwd "SaniTago"

A. explanation

Correct Answer: A



```
yum install samba samba-client

systemctl start smb nmb
systemctl enable smb nmb

firewall-cmd --permanent --add-service=samba
firewall-cmd --reload

mkdir -p /sambadir
semanage fcontext -a -t samba_share_t
"/sambadir(/.*)?"
restorecon -Rv /sambadir

setfacl -m u:susan:r-X /sambadir
vim /etc/samba/smb.conf
workgroup = TESTGROUP
[data]
comment = data share
path = /sambadir
browseable = yes
valid users = susan
read only = yes
hosts allow = 172.25.1. #(ifconfig and get
your ip and only use the 3 octets)
grep -i "susan" /etc/passwd
(It it return nothing to create a user
first)

useradd -s /sbin/nologin susan
smbpasswd -a susan

mkdir -p /opstack
semanage fcontext -a -t samba_share_t
"/opstack (/.*)?"
restorecon -Rv / opstack
vim /etc/samba/smb.conf
[cluster]
comment = opstack share
path = /opstack
write list = frankenstein
writable = no
useradd -s /sbin/nologin frankenstein
useradd -s /sbin/nologin martin
smbpassword -a Frankenstein
smbpassword -a martin
#Allow Frankenstein write access & Martin read access to the directory
[indent=1]1) setfacl -m u:frankenstein:rwX /opstack/[/indent]
[indent=1]2) setfacl -m u:frankenstein:r-X /opstack/
```

[/indent]



QUESTION 2

SIMULATION

RHCE Test Configuration Instructions

Information for the two systems you will use in test is the following:

system1.group3.example.com: is one of the main sever. system2.group3.example.com: mainly used as a client.

Password for both of the two systems is atenorth

System's IP is provided by DHCP, you can regard it as normal, or you can reset to Static IP in accordance with the following requirements:

system1.group3.example.com: 172.24.3.5

system2.group3.example.com: 172.24.3.10 The subnet mask is 255.255.255.0 Your system is a member of DNS domain group3.example.com. All systems in DNS domain group3.example.com are all in subnet 172.24.3.0/255.255.255.0, the same all systems in this subnet are also in group3.example.com, unless

specialized, all network services required to be configured can be accessed by systems of domain group3.

host.group3.example.com provides a centralized authentication service domain

GROUP3.EXAMPLE.COM, both system1 and system2 have already been pre-configured to be the client for this domain, this domain provides the following user account:

```
krishna (password: atenorth)
sergio (password: atenorth)
kaito (password: atenorth)
```

Firewall is enabled by default, you can turn it off when deemed appropriate, other settings about firewall may be in separate requirements.

Your system will be restarted before scoring, so please ensure that all modifications and service configurations you made still can be operated after the restart without manual intervention, virtual machine instances of all examinations must be

able to enter the correct multi-user level after restart without manual assistance, it will be scored zero if the test using virtual machine system cannot be restarted or be properly restarted.

Corresponding distribution packages for the testing using operating system Red Hat Enterprise Linux version can be found in the following link:

<http://server1.group3.example.com/rhel>

Part of the requirements include host security, ensure your host security limit does not prevent the request to allow the host and network, although you correctly configured the network service but would have to allow the host or network is

blocked, this also does not score. You will notice that some requirements which clearly do not allow services be accessed by service domain my133t.org, systems of this domain are in subnet 172.25.1.0/252.255.255.0, and systems of these



subnets also belong to my 133t.org domain.

PS: Notice that some test questions may depend on other exam questions, for example, you might be asked to perform a series of restrictions on a user, but this user creation may be required in other questions. For convenient identification,

each exam question has some radio buttons to help you identify which questions you have already completed or not completed. Certainly, you do not need to care these buttons if you don't need them.

Configure the Local Mail Service

Configure the mail service on system1 and system2, as required:

1.
These systems do not accept external sending mails
2.
Any mails sent locally are automatically routed to rhgls.domain11.example.com
3.
Mails sent from these systems will be displayed from rhgls.domain11.example.com
4.
You can send mail to local user `arthur` to test your configuration system rhgls.domain11.example.com
5.
You have already configured this user's mail to the following URL rhgls.domain11.example.com/received_mail/11

A. explanation

Correct Answer: A

```
postconf -e local_transport=err:XX
vim /etc/postfix/main.cf
relayhost=[rhgls.domain11.exmaple.com]
postconf -e myorigin=domain11.example.com
systemctl restart postfix
echo aaa | mail -s hello dave
```

Open rhgls.domain11.example.com/received_mail/11 in a browser

QUESTION 3

SIMULATION



Write a script /root/program. The request is when you input the kernel parameters for script, the script should return to user. When input the user parameters, the script should return to kernel. And when the script has no parameters or the parameters are wrong, the standard error output should be "usage:/root/program kernel|user".

A. explanation

Correct Answer: A

```
# vim /root/program
# !/bin/bash

if [ $# -ne 1 ];then
    echo "usage:/root/program kernel|user"
else
    if [ "$1" -eq "kernel"];then
        echo "user"
    elif ["$1" -eq "user"];then
        echo "kernel"
    else
        echo "usage:/root/program kernel|user"
    fi
fi
```

Test:

```
# chmod a+x /root/program
./root/program kernel
./root/program user
./root/program ll
```

QUESTION 4

SIMULATION

Make on /storage directory that only the user owner and group owner member can fully access.

A. explanation

Correct Answer: A

1.



```
chmod 770 /storage
```

2.

Verify using : `ls -ld /storage`

Note:

Preview should be like: `drwxrwx--- 2 root sysusers 4096 Mar 16 18:08 /storage`

To change the permission on directory we use the `chmod` command. According to the question that only the owner user (root) and group member (sysusers) can fully access the directory so:

```
chmod 770 /archive
```

QUESTION 5

SIMULATION

There were two systems: system1, main system on which most of the configuration take place system2, some configuration here

Webserver. Implement a webserver for the site `http://serverX.example.com` Download the webpage from `http://station.network0.example.com/pub/rhce/rhce.html` Rename the downloaded file in to `index.html` Copy the file into the document root Do not make any modification with the content of the `index.html` Clients within `my22ilt.org` should NOT access the webserver on your systems

A. explanation

Correct Answer: A

[Latest EX300 Dumps](#)

[EX300 VCE Dumps](#)

[EX300 Exam Questions](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !


100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



| | | |
|---|---|--|
|  <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p> |  <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p> |  <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p> |
|---|---|--|

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © passapply, All Rights Reserved.