



EX300^{Q&As}

Red Hat Certified Engineer (RHCE)

Pass RedHat EX300 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/EX300.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by RedHat
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

SIMULATION

Shutdown the /root/cdrom.iso under /opt/data and set as boot automatically mount.

A. explanation

Correct Answer: A

```
# cd /opt/  
# mkdir data  
# mount -t iso9660 -o loop /root/cdrom.iso /opt/data  
# vim /etc/fstab  
    /root/cdrom.iso /opt/data iso9660 defaults,loop 0 0  
# mount -a  
# mount
```

QUESTION 2

SIMULATION

RHCE Test Configuration Instructions

Information for the two systems you will use in test is the following:

system1.group3.example.com: is one of the main sever. system2.group3.example.com: mainly used as a client.

Password for both of the two systems is atenorth

System\'s IP is provided by DHCP, you can regard it as normal, or you can reset to Static IP in accordance with the following requirements:

system1.group3.example.com: 172.24.3.5

system2.group3.example.com: 172.24.3.10 The subnet mask is 255.255.255.0 Your system is a member of DNS domain group3.example.com. All systems in DNS domain group3.example.com are all in subnet 172.24.3.0/255.255.255.0, the same all systems in this subnet are also in group3.example.com, unless

specialized, all network services required to be configured can be accessed by systems of domain group3.

host.group3.example.com provides a centralized authentication service domain

GROUP3.EXAMPLE.COM, both system1 and system2 have already been pre-configured to be the client for this



domain, this domain provides the following user account:

```
krishna (password: atenorth)
sergio (password: atenorth)
kaito (password: atenorth)
```

Firewall is enabled by default, you can turn it off when deemed appropriate, other settings about firewall may be in separate requirements.

Your system will be restarted before scoring, so please ensure that all modifications and service configurations you made still can be operated after the restart without manual intervention, virtual machine instances of all examinations must be able to enter the correct multi-user level after restart without manual assistance, it will be scored zero if the test using virtual machine system cannot be restarted or be properly restarted.

Corresponding distribution packages for the testing using operating system Red Hat Enterprise Linux version can be found in the following link: <http://server1.group3.example.com/rhel>

Part of the requirements include host security, ensure your host security limit does not prevent the request to allow the host and network, although you correctly configured the network service but would have to allow the host or network is blocked, this also does not score.

You will notice that some requirements which clearly do not allow services be accessed by service domain my133t.org, systems of this domain are in subnet 172.25.1.0/252.255.255.0, and systems of these subnets also belong to my 133t.org domain.

PS: Notice that some test questions may depend on other exam questions, for example, you might be asked to perform a series of restrictions on a user, but this user creation may be required in other questions. For convenient identification, each exam question has some radio buttons to help you identify which questions you have already completed or not completed. Certainly, you do not need to care these buttons if you don't need them.

Implement/configure a Web Service.

Configure a site <http://system1.domain11.example.com/> on the system1, then execute the following steps:

(1)

Download file from <http://rhgls.domain11.example.com/materials/station.html> and rename this files index.html, don't modify the file contents; (2) Copy the file index.html to your web server's DocumentRoot directory

(3)

Clients from domain group3.example.com can access to this web service

(4)

Clients from domain my133t.org deny access to this web service

A.

explanation

Correct Answer: A



```
yum groupinstall web\* -y
systemctl start httpd
systemctl enable httpd
vim /etc/httpd/conf/httpd.conf
/ServerName
ServerName server1.domain11.example.com:80
systemctl restart httpd
wget -O index.html
http://rhgls.domain11.example.com/materials/station.html
firewall-config
```

The screenshot shows the Firewall Configuration window. At the top, the configuration is set to 'Permanent'. The 'Zones' tab is active, and the 'public' zone is selected. The 'Rich Rules' sub-tab is also active, showing a table for defining rules. The table has columns for Family, Action, Element, Src, Dest, log, and Audit. Below the table are 'Add', 'Edit', and 'Remove' buttons. The status bar at the bottom indicates 'Default Zone: public', 'Lockdown: disabled', and 'Panic Mode: disabled'.

Configuration: **Permanent** v

Zones Services

A firewalld zone defines the level of trust for network connections, interfaces and source addresses bound to the zone. The zone combines services, ports, protocols, masquerading, port/packet forwarding, icmp filters and rich rules. The zone can be bound to interfaces and source addresses.

Zone

- block
- dmz
- drop
- external
- home
- internal
- public**
- trusted
- work

Services Ports Masquerading Port Forwarding ICMP Filter **Rich Rules** Interfaces

Here you can set rich language rules for the zone.

Family	Action	Element	Src	Dest	log	Audit
--------	--------	---------	-----	------	-----	-------

Add Edit Remove

Connected. **Default Zone: public Lockdown: disabled Panic Mode: disabled**



Rich Rule

Please enter a rich rule.
For host or network white or blacklisting deactivate the element.

Family:

Element:

Action: with Type:

With Limit: /

Source: inverted

Destination: inverted

Prefix:

Log: Level:

With Limit: /

Audit: With Limit: /

systemctl restart firewalld

QUESTION 3

SIMULATION

RHCE Test Configuration Instructions

Information for the two systems you will use in test is the following:

system1.group3.example.com: is one of the main sever. system2.group3.example.com: mainly used as a client.

Password for both of the two systems is atenorth



System's IP is provided by DHCP, you can regard it as normal, or you can reset to Static IP in accordance with the following requirements:

system1.group3.example.com: 172.24.3.5

system2.group3.example.com: 172.24.3.10

The subnet mask is 255.255.255.0

Your system is a member of DNS domain group3.example.com. All systems in DNS domain group3.example.com are all in subnet 172.24.3.0/255.255.255.0, the same all systems in this subnet are also in group3.example.com, unless

specialized, all network services required to be configured can be accessed by systems of domain group3.

host.group3.example.com provides a centralized authentication service domain

GROUP3.EXAMPLE.COM, both system1 and system2 have already been pre-configured to be the client for this domain, this domain provides the following user account:

```
krishna (password: atenorth)
sergio (password: atenorth)
kaito (password: atenorth)
```

Firewall is enabled by default, you can turn it off when deemed appropriate, other settings about firewall may be in separate requirements.

Your system will be restarted before scoring, so please ensure that all modifications and service configurations you made still can be operated after the restart without manual intervention, virtual machine instances of all examinations must be able to enter the correct multi-user level after restart without manual assistance, it will be scored zero if the test using virtual machine system cannot be restarted or be properly restarted.

Corresponding distribution packages for the testing using operating system Red Hat Enterprise Linux version can be found in the following link: <http://server1.group3.example.com/rhel>

Part of the requirements include host security, ensure your host security limit does not prevent the request to allow the host and network, although you correctly configured the network service but would have to allow the host or network is blocked, this also does not score.

You will notice that some requirements which clearly do not allow services be accessed by service domain my133t.org, systems of this domain are in subnet 172.25.1.0/252.255.255.0, and systems of these subnets also belong to my 133t.org domain.

PS: Notice that some test questions may depend on other exam questions, for example, you might be asked to perform a series of restrictions on a user, but this user creation may be required in other questions. For convenient identification, each exam question has some radio buttons to help you identify which questions you have already completed or not completed. Certainly, you do not need to care these buttons if you don't need them.

Configure the Access to the Web Content Create a directory private under the directory DocumentRoot in the web server on the system1, requirements are the following: Download a file copy to this directory from <http://rhgls.domain11.example.com/materials/private.html> and rename it as index.html. Don't make any changes to this file content Any users from the system1 can browse the content of the private, but cannot access this directory content through other systems

A. explanation



Correct Answer: A

QUESTION 4

SIMULATION

Create the directory /storage and group owner should be the sysusers group.

A. explanation

Correct Answer: A

```
chgrp sysusers /storage
```

Verify using `ls -ld /storage` command.

You should get like `drwxr-x--- 2 root sysusers 4096 Mar 16 17:59 /storage` `chgrp` command is used to change the group ownership of particular files or directory.

Another way you can use the `chown` command.

```
chown root:sysusers /storage
```

QUESTION 5

SIMULATION

There were two systems: system1, main system on which most of the configuration take place system2, some configuration here

Webserver. Implement a webserver for the site `http://serverX.example.com` Download the webpage from `http://station.network0.example.com/pub/rhce/rhce.html` Rename the downloaded file in to `index.html` Copy the file into the document root Do not make any modification with the content of the `index.html` Clients within `my22ilt.org` should NOT access the webserver on your systems

A. explanation

Correct Answer: A

[EX300 Practice Test](#)

[EX300 Exam Questions](#)

[EX300 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !


100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © passapply, All Rights Reserved.