



FCNSP.V5^{Q&As}

Fortinet Certified Network Security Professional (FCNSP.v5)

Pass Fortinet FCNSP.V5 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/fcnsp-v5.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Fortinet
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following statements are correct regarding Application Control?

- A. Application Control is based on the IPS engine.
- B. Application Control is based on the AV engine.
- C. Application Control can be applied to SSL encrypted traffic.
- D. Application Control cannot be applied to SSL encrypted traffic.

Correct Answer: AC

QUESTION 2

In a High Availability configuration operating in Active-Active mode, which of the following correctly describes the path taken by a load-balanced HTTP session?

- A. Request: Internal Host -> Master FG -> Slave FG -> Internet -> Web Server
- B. Request: Internal Host -> Master FG -> Slave FG -> Master FG -> Internet -> Web Server
- C. Request: Internal Host -> Slave FG -> Internet -> Web Server
- D. Request: Internal Host -> Slave FG -> Master FG -> Internet -> Web Server

Correct Answer: A

QUESTION 3

Which of the following Session TTL values will take precedence?

- A. Session TTL specified at the system level for that port number
- B. Session TTL specified in the matching firewall policy
- C. Session TTL dictated by the application control list associated with the matching firewall policy
- D. The default session TTL specified at the system level

Correct Answer: C

QUESTION 4

Shown below is a section of output from the debug command `diag ip arp list`.

```
index=2 ifname=port1 172.20.187.150 00:09:0f:69:03:7e state=00000004 use=4589 confirm=4589 update=2422 ref=1
```



In the output provided, which of the following best describes the IP address 172.20.187.150?

- A. It is the primary IP address of the port1 interface.
- B. It is one of the secondary IP addresses of the port1 interface.
- C. It is the IP address of another network device located in the same LAN segment as the FortiGate unit's port1 interface.

Correct Answer: C

QUESTION 5

A FortiClient fails to establish a VPN tunnel with a FortiGate unit.

The following information is displayed in the FortiGate unit logs:

```
msg="Initiator: sent 192.168.11.101 main mode message #1 (OK)" msg="Initiator: sent 192.168.11.101 main mode message #2 (OK)" msg="Initiator: sent 192.168.11.101 main mode message #3 (OK)" msg="Initiator: parsed 192.168.11.101 main mode message #3 (DONE)" msg="Initiator: sent
```

```
192.168.11.101 quick mode message #1 (OK)" msg="Initiator: tunnel 192.168.1.1/192.168.11.101 install ipsec sa" msg="Initiator: sent 192.168.11.101 quick mode message #2 (DONE)" msg="Initiator: tunnel 192.168.11.101, transform=ESP_3DES, HMAC_MD5" msg="Failed to acquire an IP address
```

Which of the following statements is a possible cause for the failure to establish the VPN tunnel?

- A. An IPsec DHCP server is not enabled on the external interface of the FortiGate unit.
- B. There is no IPsec firewall policy configured for the policy-based VPN.
- C. There is a mismatch between the FortiGate unit and the FortiClient IP addresses in the phase 2 settings.
- D. The phase 1 configuration on the FortiGate unit uses Aggressive mode while FortiClient uses Main mode.

Correct Answer: A

[Latest FCNSP.V5 Dumps](#)

[FCNSP.V5 PDF Dumps](#)

[FCNSP.V5 Study Guide](#)