



# GSSP-JAVA<sup>Q&As</sup>

GIAC Secure Software Programmer – Java

**Pass GIAC GSSP-JAVA Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/gssp-java.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by GIAC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Dennis works as a Programmer in Broadnet Inc. He writes the following program.

1.

```
public class Ques0307{
```

2.

```
public static void main(String[] argv){
```

3.

```
int arr[] = {1, 2, 3, 4};
```

4.

```
try{
```

5.

```
int k = 0;
```

6.

```
for(; k
```

7.

```
arr[k] = arr[k] + 1;
```

8.

```
System.out.println("try");
```

9.

```
}
```

10.

```
catch(ArrayIndexOutOfBoundsException a){
```

11.

```
System.out.println("index " + k + " not found");
```

12.

```
}
```

13.

```
catch(Exception e){
```



14.

```
System.out.println("catch1");
```

15.

```
}
```

16.

```
finally{
```

17.

```
System.out.println("finally");
```

18.

```
}
```

19.

```
}
```

20.

```
}
```

What will happen when Dennis attempts to compile and execute the program?

- A. A compile-time error will occur.
- B. The program will display index 0 not found catch1 finally
- C. The program will display index 4 not found finally
- D. The program will display try finally

Correct Answer: A

---

## QUESTION 2

Which of the following methods of the HttpServletResponse interface is used for URL rewriting? Each correct answer represents a complete solution. Choose all that apply.

- A. encodeURL
- B. encodeRedirectURL
- C. sendRedirect
- D. getRequestURL()

Correct Answer: AB

---



### QUESTION 3

Which of the following statements make a message-driven bean different from a session bean? Each correct answer represents a complete solution. Choose all that apply.

- A. Multiple clients can be processed by a single message-driven bean.
- B. A message-driven bean has only one bean class.
- C. Clients do not access message-driven beans through interfaces.
- D. The EJB container can assign a message to any message-driven bean instance because all instances of a message-driven bean are equivalent.
- E. Data or conversational state for a specific client cannot be retained by message-driven bean instances.

Correct Answer: BC

---

### QUESTION 4

Mark works as a Programmer for InfoTech Inc. He develops an application named JavaServices. He wants to declare a security constraint that will restrict everything in the com/files directory so that security role of Admin can invoke any http methods on the resources. Which of the following element declarations will be used to accomplish the task?

- A. `JavaServicescom/filesAdmin`
- B. `JavaServicescom/files/*Admin`
- C. `JavaServicescom/files/**Admin`
- D. `JavaServicescom/files/*Admin`

Correct Answer: D

---

### QUESTION 5

Mark works as a Programmer for InfoTech Inc. He develops the following deployment descriptor code for specifying the security roles for a Web application.

Manager

Admin



Member

Which of the following are the valid element that will allow the users to access resources constrained by the security role declared given above? Each correct answer represents a complete solution. Choose all that apply.

- A. \*
- B.
- C. AdminManager
- D. admin
- E. Admin
- F. Manager

Correct Answer: ACEF

[Latest GSSP-JAVA Dumps](#)

[GSSP-JAVA Study Guide](#)

[GSSP-JAVA Braindumps](#)