



GSSP-JAVA^{Q&As}

GIAC Secure Software Programmer – Java

Pass GIAC GSSP-JAVA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/gssp-java.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by GIAC
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Mark works as a Programmer for InfoTech Inc. He develops the following deployment descriptor code.

```
java.lang.Throwable
```

```
Error.jsp
```

```
javax.security.auth.RefreshFailedException
```

```
RefreshFailed.jsp
```

Which of the following statements is true about the deployment descriptor code given above?

- A. It is not possible to declare two error-page code in the web-app element.
- B. The error-page element does not belong to the web-app element.
- C. Any exception other than RefreshFailedException will display the Error.jsp page.
- D. All exceptions will display the Error.jsp page.

Correct Answer: C

QUESTION 2

Which of the following methods must be implemented by each subclass of the Permission class to compare permissions?

- A. hashCode
- B. implies
- C. newPermissionCollection
- D. equals

Correct Answer: B



QUESTION 3

Which of the following init() method calls initializes a cipher object with a key in the SECRET_MODE?

- A. cipher.init(2, key);
- B. cipher.init(1, key);
- C. cipher.init(3, key);
- D. cipher.init(4, key);

Correct Answer: C

QUESTION 4

Which of the following roles will release a servlet instance for garbage collection after the destroy method completes?

- A. Deployer
- B. Container
- C. Provider
- D. Assembler

Correct Answer: B

QUESTION 5

Mark works as a Programmer for InfoTech Inc. He develops the following program.

```
class iftest2
```

```
{public static void main(String args[])
```

```
{int x=0, y=1;if //code//{System.out.println("true");}}}
```

Which of the following if statements are illegal if they are placed at //code//?

- A. (y == true)
- B. (1)
- C. (x == false)
- D. (x == 1)
- E. (x)
- F. (x != y)

Correct Answer: ABCE



VCE & PDF

PassApply.com

<https://www.passapply.com/gssp-java.html>

2024 Latest passapply GSSP-JAVA PDF and VCE dumps Download

[Latest GSSP-JAVA Dumps](#)

[GSSP-JAVA VCE Dumps](#)

[GSSP-JAVA Study Guide](#)