HH0-210^{Q&As}

HH0-210^{Q&As}

HDS Certified Implmenter-Enterprise

Pass Hitachi HH0-210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/hh0-210.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

A customer wants to add a second DKC to a VSP.

Which three hardware features must be installed in the second DKC? (Choose three.)

A. Hub

B. VSD

C. CMA

D. ESW

E. DKA

Correct Answer: ABD

QUESTION 2

When is a microcode exchange process complete on a VSP?

A. After the SVP has rebooted.

B. When all I/Os resume across all the mapped storage paths.

C. When the \\'Ready\\' LED turns green.

D. When the message ormal End?is displayed.When the message ?ormal End?is displayed.

Correct Answer: D

QUESTION 3

You are installing a VSP with 2 DKCs containing 2.5" and 3.5" form factor HDDs. Which two configuration rules apply? (Choose two.)

A. 2.5" and 3.5" DKUs can be mixed in any pattern.

B. Each DKU Rack can only contain one drive form factor.

C. Each HDU can only contain one drive form factor.

D. The drive form factor must be unique per DKC.

Correct Answer: AC

QUESTION 4

Which two self-service resources would you use if you require installation assistance? (Choose two.)

A. Hitachi Data Systems Support Portal

B. Hitachi Data Systems InfoSearch database

C. Hitachi Data Systems product documentation

D. Hitachi Data Systems Installation Service Manager

Correct Answer: AC

QUESTION 5

Your VSP customer is using Hitachi Device Manager and Tuning Manager software.

Which tab in the Hitachi Command Suite main view can be used for viewing VSP system performance data?

A. Metrics

B. Monitor

C. Analytics

D. Performance

Correct Answer: C

Latest HH0-210 Dumps   HH0-210 PDF Dumps   HH0-210 Braindumps