



# HH0-220<sup>Q&As</sup>

HDS Certified Implmenter-Modular

## Pass Hitachi HH0-220 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hh0-220.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Yesterday you allocated five new LUNs for a Solaris 9 host. Today the Solaris administrator is concerned about corrupt data because the host system log has several entries referencing the new LUNs with the following message: "Corrupt label; wrong magic number". What do you tell the Solaris administrator?

- A. That they need to configure Device Mapper for the newly allocated LUNs.
- B. That they should shut down the server right away and that you will allocate five new LUNs.
- C. That the message is normal for new LUN allocations and that they just need to label the new partitions.
- D. That the Master Boot Record (MBR) on one of the disks has become corrupt and that rebooting the host should fix the issue.

Correct Answer: C

---

### QUESTION 2

A customer would like to deploy a clustered File Module option on their Hitachi Unified Storage system. What is a valid connection for the cluster interconnect?

- A. 1Gb Ethernet
- B. 16Gb Fibre Channel
- C. 10Gb Ethernet
- D. 8Gb Fibre Channel

Correct Answer: C

---

### QUESTION 3

What is the correct procedure to replace a suspected SAS interface cable connected to the last drive box (DBL) of a Hitachi Unified Storage system?

- A. Replace the suspected SAS interface cable by a new one.
- B. Using SNM2, disable the suspected SAS link, replace the cable and enable the SAS link.
- C. Using the WEB tool, disable the suspected SAS link, replace the cable and enable the SAS link.
- D. Slide out the I/O module from the DBL, replace the cable and slide the I/O module back in.

Correct Answer: D

---

### QUESTION 4



Which two statements relating to Storage Navigator Modular 2 (SNM2) are correct? (Choose two.)

- A. SNM2 issues SNMP alerts for failed components within the system.
- B. SNM2 allows you to change the IP address and port number used to communicate with the system.
- C. SNM2 uses out-of-band communication to administer the system and in-band communication to manage replication.
- D. SNM2 can be used to define the Command Devices and the Differential Management LUNs needed by replication software.

Correct Answer: BD

---

#### QUESTION 5

A customer wants to migrate data from existing modular storage arrays to a newly acquired Hitachi Unified Storage system. To prepare for the storage migration, you have been asked to collect operation data that encompasses multiple storage systems and their attached hosts. Which tool would you use?

- A. auferfmon
- B. raidcom
- C. SE Console
- D. HiPAST

Correct Answer: C

[HH0-220 PDF Dumps](#)

[HH0-220 Practice Test](#)

[HH0-220 Study Guide](#)