



HH0-220^{Q&As}

HDS Certified Implmenter-Modular

Pass Hitachi HH0-220 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hh0-220.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What are two ways to restrict access to storage through a Fabric? (Choose two.)

- A. Use SNMP
- B. Use zoning
- C. Use Host Group security
- D. Useport security on the switch(es)

Correct Answer: BC

QUESTION 2

What are two functions that can be done using the Storage Navigator Modular 2 Logical Unit wizard on a Hitachi Unified Storage system? (Choose two.)

- A. Create multiple LUs.
- B. Create a new RAID Group.
- C. Enable Host Group Security.
- D. Select SATA II drives for LU creation.

Correct Answer: AB

QUESTION 3

You have to replace a Cache Backup Battery online on a Hitachi Unified Storage system. Which two statements are correct? (Choose two.)

- A. When the power is turned off during the replacement, user data on the cache that has not been written will be backed up to flash memory.
- B. You should not perform any replacement while the green READY LED on the front of the Controller Box is blinking at high speed.
- C. You should only perform the replacement while the green READY LED on the front of the Controller Box is blinking at high speed.
- D. You must complete the replacement within a certain time frame.

Correct Answer: BD

QUESTION 4



A customer has installed a Hitachi Unified Storage (HUS) system with only port 0A connected to a Linux server. There is a video streaming application running on the server. You have to perform a firmware update using SNM2. What will happen when the update is started?

- A. The Linux application will continue to function non-disruptively.
- B. The Linux server will time-out because there is no alternate path.
- C. The firmware update process will abort if the HUS does not have at least 5 seconds of no I/O activity on port 0A within 5 minutes.
- D. The firmware update will fail because the HUS active/active controller feature checks for alternate pathing.

Correct Answer: A

QUESTION 5

You want to add an account for a new storage administrator on a Hitachi Unified Storage system using Storage Navigator Modular 2. Which Account Authentication role must you have to be able to perform this task?

- A. Storage Administrator (View and Modify)
- B. Account Administrator (View and Modify)
- C. Security Administrator (View and Modify)
- D. Authentication Administrator (View and Modify)

Correct Answer: B

[Latest HH0-220 Dumps](#)

[HH0-220 Study Guide](#)

[HH0-220 Exam Questions](#)