



HH0-450^{Q&As}

Hitachi Data Systems Storage Architect-Hitachi NAS Platform

Pass Hitachi HH0-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hh0-450.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A customer with a Hitachi NAS Platform 3100 wants to implement anti-virus scanning. In which Hitachi NAS Platform related document do you find information about supported anti-virus scan engine software?

- A. the Access Control List (ACL)
- B. the Administration Guide
- C. the Independent Software Vendor (ISV) list
- D. the Hardware Compatibility List (HCL)

Correct Answer: C

QUESTION 2

A customer with a Hitachi NAS Platform connected to a production Hitachi USP V requires a Recovery Point Objective (RPO) of 20 minutes or less for their replicated data. Each of their four file systems has a minimum of 20 TB of data and 50 million files. Each file system has a heavy change rate. Which three replication products meet the customer's RPO? (Choose three.)

- A. Hitachi Universal Replicator
- B. TrueCopy
- C. Intelligent Data Replication
- D. Incremental Block Replication
- E. ShadowImage

Correct Answer: ABE

QUESTION 3

You are designing a solution with a Hitachi NAS Platform cluster connected to a Hitachi AMS2000 Family storage system with SAS disk drives. Which two actions will optimize performance? (Choose two.)

- A. Configure at least 4 LUNs per RAID group.
- B. Configure 1 LUN per RAID group.
- C. Disable superflush on each system drive.
- D. Set the correct superflush setting on each system drive.

Correct Answer: BD

**QUESTION 4**

Your customer is asking about the Hitachi NAS Platform connectivity support. Their network media type consists of LC optical interfaces on all their 1 GbE Ethernet switches. Which statement is correct?

- A. The 3090 model supports optical SFP on 1 GbE ports.
- B. The 3100 model supports RJ45 copper connectivity only.
- C. The 3200 model supports 1 GbE optical connectivity.
- D. Optical connectivity is not supported on any Hitachi NAS Platform.

Correct Answer: C

QUESTION 5

A customer wants to implement a 2 PB Hitachi NAS Platform 3200 solution while using a Hitachi AMS2000 Family storage system. Which two must be considered during the solution design phase? (Choose two.)

- A. The 3200 supports a 2 PB Storage Pool size.
- B. The largest RAID group size in a Hitachi AMS2000 Family is 38D+2P.
- C. A minimum of 8 storage pools are required to achieve 2 PB.
- D. The largest LUN size supported by a Hitachi AMS2000 Family is 60 TB.

Correct Answer: CD

[Latest HH0-450 Dumps](#)

[HH0-450 VCE Dumps](#)

[HH0-450 Braindumps](#)