



HH0-450^{Q&As}

Hitachi Data Systems Storage Architect-Hitachi NAS Platform

Pass Hitachi HH0-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hh0-450.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

A customer has 28 independent file servers with various amounts of data on each server and they would like to consolidate with a Hitachi NAS Platform. Which three factors must be considered prior to the consolidation? (Choose three.)

- A. number of concurrent users
- B. type of applications and specific purpose of each application server
- C. server BIOS version
- D. number of mount points and shares
- E. number of concurrent HTTP instances

Correct Answer: ABD

QUESTION 2

A customer requires the most cost effective NAS solution for their NFS data. The solution must scale to four nodes and offer both 1 GbE and 10 GbE simultaneously. Which Hitachi NAS Platform solution meets the requirements?

- A. 3080 4 node cluster
- B. 3090 4 node cluster
- C. 3100 4 node cluster
- D. 3200 4 node cluster

Correct Answer: B

QUESTION 3

A customer is considering deploying a Hitachi NAS Platform in their environment. They require a single mount point to allow for ease of administration and data organization. Which licensed Hitachi NAS Platform software feature would help this customer?

- A. storage pools
- B. snapshots
- C. File System Rollback (FSR)
- D. Cluster Namespace (CNS)

Correct Answer: D



QUESTION 4

A customer wants to implement a 2 PB Hitachi NAS Platform 3200 solution while using a Hitachi AMS2000 Family storage system. Which two must be considered during the solution design phase? (Choose two.)

- A. The 3200 supports a 2 PB Storage Pool size.
- B. The largest RAID group size in a Hitachi AMS2000 Family is 38D+2P.
- C. A minimum of 8 storage pools are required to achieve 2 PB.
- D. The largest LUN size supported by a Hitachi AMS2000 Family is 60 TB.

Correct Answer: CD

QUESTION 5

An enterprise customer has a diverse Active Directory environment consisting of multiple untrusted departmental Windows domains. The customer wants to delegate administration to departmental administrators using the highest level of security. Which EVS security configuration will achieve this business requirement?

- A. Use the global EVS security context for all EVSs.
- B. Use an independent EVS security context for each EVSs.
- C. Use IPSEC for all EVSs to create secure client connections.
- D. Use SSL certificates to encrypt client communications.

Correct Answer: B

[HH0-450 VCE Dumps](#)

[HH0-450 Practice Test](#)

[HH0-450 Study Guide](#)