



HH0-450^{Q&As}

Hitachi Data Systems Storage Architect-Hitachi NAS Platform

Pass Hitachi HH0-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hh0-450.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What are two ways of controlling the anti-virus on Hitachi NAS Platform nodes? (Choose two.)

- A. Select the round robin algorithm on the multi-scan engine configuration screen.
- B. Set up the inclusion list.
- C. Enable anti-virus at the EVS level.
- D. Modify the virus background checking policies.

Correct Answer: BC

QUESTION 2

A customer is planning to use anti-virus scanning on their Hitachi NAS platform. What are three relevant performance considerations? (Choose three.)

- A. the number of anti-virus scanning servers
- B. the processing power of the hardware platform used as an anti-virus scanning server
- C. the bandwidth between the anti-virus scanning servers and the Hitachi NAS platform
- D. using the SMB protocol for anti-virus scanning instead of the RPC protocol
- E. dedicating an EVS for global anti-virus scanning on each cluster node

Correct Answer: ABC

QUESTION 3

A customer wants to minimize failover time in the event of a node failure in a Hitachi NAS Platform MetroCluster environment. Which parameter must be set?

- A. admin_evs_user = hnasmc
- B. failover_evs_disable = no
- C. failover_evs_disable = yes
- D. failover_use_ssws = yes

Correct Answer: B

QUESTION 4

A customer has purchased a 2-node Hitachi NAS platform 3080 cluster. The customer would like to optimize the design



of their network for Windows clients accessing files stored on the 3080. Which three factors must be considered? (Choose three.)

- A. the number of anti-virus scanning servers with the 3080
- B. the make and model of the customer Fibre Channel switches
- C. the current and planned use of VLANs
- D. the use of clustered read caching
- E. the use of 1 GbE versus 10 GbE connections from the 3080

Correct Answer: ACE

QUESTION 5

A customer requires the most cost effective NAS solution for their NFS data. The solution must scale to four nodes and offer both 1 GbE and 10 GbE simultaneously. Which Hitachi NAS Platform solution meets the requirements?

- A. 3080 4 node cluster
- B. 3090 4 node cluster
- C. 3100 4 node cluster
- D. 3200 4 node cluster

Correct Answer: B

[HH0-450 PDF Dumps](#)

[HH0-450 Practice Test](#)

[HH0-450 Exam Questions](#)