



HP0-815^{Q&As}

Advanced SAN Architecture

Pass HP HP0-815 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hp0-815.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is a design property of the Core+Edge+Leaf SAN topology?

- A. It can start at one switch and grow almost without limit.
- B. It allows many devices to share a single ISL.
- C. It allows many hosts to share a single storage port.
- D. It involves simplex I/O, meaning only one path is utilized for I/O.

Correct Answer: A

QUESTION 2

A business continuity strategy for the protection of data can be built on techniques and procedures to _____. (Choose two.)

- A. avoid data loss
- B. recover data that has been lost
- C. provide Hierarchical Storage Management (HSM)
- D. shrink the backup and recovery window

Correct Answer: AB

QUESTION 3

What are four requirements for implementing the Brocade Secure Fabric OS with the B-Series (Brocade) of switches? (Choose four.)

- A. secure SES client communication
- B. digital certificates
- C. firmware, zoning, and security licenses
- D. at least one core switch 2/64
- E. Fabric Management Policy Sets
- F. secure Telnet client communication
- G. dedicated security server

Correct Answer: BCEF



QUESTION 4

Which SAN implementation provides high availability but in the event of a failure may experience reduced bandwidth?

- A. using a single fully meshed, multi-trunked fabric topology
- B. using dual fabrics implemented with multiple storage paths
- C. using a minimum of two SMAs for SAN management with Command View
- D. using dual storage paths to the same switch in transparent failover mode

Correct Answer: B

QUESTION 5

A SAN administrator needs to change the Domain ID and Core PID parameters on a switch that is part of a production fabric. Which two statements about this update are true? (Choose two.)

- A. The Core PID parameter does not need to be manually changed; it will automatically be selected.
- B. This process cannot be performed with the switch online and is disruptive.
- C. This process can be performed with the switch online without disruption.
- D. The switch must be rebooted to set the Domain ID and Core PID.
- E. The Core PID parameter must be manually changed as it is set to a default value in the factory.

Correct Answer: BE

[HP0-815 PDF Dumps](#)

[HP0-815 VCE Dumps](#)

[HP0-815 Exam Questions](#)