



HP0-J65^{Q&As}

Designing HP SAN Networking Solutions

Pass HP HP0-J65 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hp0-j65.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which component make up a Meta SAN?

- A. Multiple C-series fabric connected using the C-series 8Gb/s switches using FCIP
- B. Multiple B-series fabric incorporating Cluster Extensions
- C. Multiple C-series fabric incorporating Continuous Access
- D. Multiple B-series fabric connected using the B-series 8Gb/s switches with FCR

Correct Answer: D

QUESTION 2

Scenario:

A company has been using a Fibre Channel infrastructure for the last three years. The company is located in a nine-story building but is currently occupying eight floors. Each of the nine floors has its own Brocade 8 Gb SAN Switch with Fibre

Channel, which has a license for eight ports. Each department hosts a single Windows 2008 terminal server host for connection to their storage and data applications on the SAN, which is in the data center on the first floor. Each Brocade 8/8

switch is connected to the floor above and below by a single fibre connection.

Refer to the Scenario:

As utilization of the terminal servers increases, the company notices more I/O timeouts from the servers on the second through eight floors. Without upgrading the current company infrastructure.

Which change should you make to their configuration to resolve this issue?

- A. Add additional ISL connections between floors one through four.
- B. Enable trunking on switches between floors five through eight.
- C. Add additional ISL connections between floors five through eight.
- D. Enable trunking on all switches between floors one through four.

Correct Answer: A

QUESTION 3

Scenario: A large financial brokerage firm transacts about 32% of trades in the South American market. It offers brokerage services, investment banking, and financial advisory services to corporations and individuals. Recent expansions into other worldwide markets have led to delays in processing trading data into usable reports that are timely enough for consumption by traders. The company is seeking a way to give traders much closer real-time data to



use when making decisions on trades, ultimately translating into higher results for its customers and higher competitive advantage for the firm company is projecting 100% data growth rates annually for the foreseeable future. A recent power outage at the production data center that lasted 24 hours resulted in significant data loss. The production data center: ?All rack-mount servers ?Microsoft SQL Server 2000 ?HP ProLiant DL385 servers ?Two HP Enterprise Virtual Array 6400 SANs ?Heterogeneous SAN environment consisting of HP B-series and HP C-series SANs

The on campus Disaster Recovery Center is newly constructed and has not been configured or brought on line: ?BladeSystem environment ?Core edge design ?All HP B-series ?HP 3PAR StoreServ Storage System

The company pulls all of its trading information and data into a warehouse and then runs reports on the data internal reports determine whether to update asset allocation. Customer reports detail current holding and earnings of the firm's funds. The most complex reports takes 36 hours to run and can only be run over the weekend to prevent disruption to operations; this results in traders receiving updated information only per week. There is also an option for customers to access web-based reports, and there is a need to update these reports more frequently as well. Some of the additional business criteria identified in customer planning interviews includes: ?Produce daily reports rather than weekly ?Close to real time reporting to customers ?Scalable solution for further growth and without interruption ?Ability to add additional reports or analyze in new ways as the need arises ?Reduced IT overtime ?Concerned about application disruptions when adding or removing SAN devices ?Manage multiple fiber Channel ports as one switch resource ?Move from 4GB SAN to an 8GB Fibre Channel SAN. ?Looking for optional performance, less downtime, non-disruption expansion, and a Low price per port on the FC Switch deployment ?Consolidation of SANs for seamless sharing of server storage resources ?Multiple solutions, prioritized with recommendation Refer to the scenario.

Which network topology optimally meets the stated requirements?

- A. core-edge
- B. cascaded
- C. ring
- D. mesh

Correct Answer: A

QUESTION 4

You are proposing an HP StoreVirtual 4000 cluster solution involving many LUNs. You need to minimize the number of iSCSI session for news hosts while using all paths for load balancing.

Which multipathing configuration should you include in your proposal?

- A. HP DSM for MPIO with round robin load balancing
- B. MS DSM for MPIO with round robin load balancing
- C. MS DSM with shortest queue service time load balancing
- D. HP DSM for MPIO with no load balancing

Correct Answer: B

QUESTION 5



A customer has an HP BladeSystem c7000 with HP Virtual Connect Flex-10 modules interconnect bays 1 and 2. The customer wants to install an HP Proliant BL460c Server Blade with no options. Which Feature is unavailable to the customer with this configuration?

- A. Fibre Channel
- B. Ethernet
- C. iSCSI
- D. VLANs

Correct Answer: A

[Latest HP0-J65 Dumps](#)

[HP0-J65 Practice Test](#)

[HP0-J65 Braindumps](#)