



HP0-J66^{Q&As}

HP Storage Migration

Pass HP HP0-J66 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hp0-j66.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A customer provides their requirements for a storage solution.

A consultant, using his experience and product knowledge, has designed a solution.

He needs to verify that the storage design and licensing rules have been adhered to, and that the solution can be supported by HP. Which resource can provide this information?

- A. HP StorageWorks Sizing Tool
- B. HP ActiveAnswers
- C. HP Storage Solutions Design Guide
- D. HP SAN Design Validator

Correct Answer: A

It is recommended that the HP StorageWorks Sizing Tool (<http://www.hp.com/go/storageworks/sizer>) is used to identify the product and WAN link requirements because the required bandwidth is complex.

QUESTION 2

A storage administrator needs highly available connectivity from a Microsoft Windows host to an iSCSI storage array. The administrator needs to ensure that the data is still available in the event of a network port failure. What must the administrator enable on the Windows host?

- A. MPIO
- B. NIC teaming
- C. storage cluster services
- D. iSCSI initiator failover

Correct Answer: A

QUESTION 3

A customer plans to migrate data from an HP EVA8400 Storage System to two HP 3PAR StoreServ 7400 Storage Systems. The new storage systems must be configured to support connection redundancy. How many Service Processors

must the customer deploy to support the solution?

- A. One
- B. Two
- C. Three



D. Four

Correct Answer: A

QUESTION 4

A customer plans to implement an HP StoreOnce B6200 Backup System. The customer has two subnets that the backup system must utilize to communicate. What should be used to meet these requirements?

- A. DHCP for both subnets
- B. DHCP for one subnet and a static IP for the other
- C. a single network gateway for both subnets
- D. an IP address for each subnet

Correct Answer: C

The HP B6200 Backup System supports only one gateway for the whole cluster. Reference; HP B6200 Backup System Recommended Configuration Guidelines

QUESTION 5

A customer plans to migrate from a third-party legacy storage solution to an HP 3PAR StoreServ 7000. The customer needs to configure the storage system and the Service Processor.

What is the minimum operating system version the customer needs to run the setup wizard?

- A. Windows Server 2003
- B. Red Hat Enterprise 6
- C. Windows Server 2012
- D. Windows Server 2008 R2

Correct Answer: D

SmartStart Prerequisites

Microsoft Windows 2008 R2 Server x64 Edition or 2012 is currently running in the system ?1.0 gigahertz or higher processor

1 GB of installed RAM (2 GB recommended)

CD-ROM or DVD-ROM drive

1280 x 1024 or better screen resolution

SmartStart Online Help is supported in the following browser versions:

Microsoft Internet Explorer 8, 9 and 10



Mozilla Firefox 14 through 21

To launch HP 3PAR SmartStart:

1.

Insert the HP 3PAR SmartStart CD.

2.

Follow the onscreen instructions to complete the installation and launch the application. Continue on to "Launching the HP 3PAR Service Processor Setup Wizard" (page 53) and launch the setup wizard.

Reference; HP 3PAR StoreServ 7000 Storage, Installation Guide

[HP0-J66 PDF Dumps](#)

[HP0-J66 Exam Questions](#)

[HP0-J66 Braindumps](#)