

HP0-P24^{Q&As}

HP-UX 11iv3 System Administration

Pass HP HP0-P24 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/hp0-p24.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/hp0-p24.html

2024 Latest passapply HP0-P24 PDF and VCE dumps Download

QUESTION 1

Which command lists all file system paging areas with totals?
Which command hote an ine system paging areas with totals.
A. lvlnboots
B. swapinfo -ft
C. machinfo -v
D. swopon -1
Correct Answer: B
QUESTION 2
A system administrator is running swinstal s /tmp/example.depot /*. Which condition must be met to successfully run this command?
A. The system must be in the single-user run level
B. AH file systems listed in /etc/fstab must be mounted
C. The example depot must be registered
D. All previous versions, if any, must be removed.
Correct Answer: D
QUESTION 3
How should a system administrator securely access an interactive shell account via the network"?
A. remsh
B. ssh
C. ftp
D. telnet
Correct Answer: B

QUESTION 4

What is the maximum amount of data that a make _tape_ recovery tape can hold when all applicable patches have been applied to an HP -UX server?

A. Up to 2GB of data and only on a single tape regardless of the overall tape size



https://www.passapply.com/hp0-p24.html 2024 Latest passapply HP0-P24 PDF and VCE dumps Download

B. Up to 8GB of data and only on a single tape regardless of the overall tape size

- C. As much as 2GB of data on a single tape hut if make _tape_ recovery is run in the foreground, it prompts for more tapes, if they are necessary, until all data is stored
- D. As much data as will fit on the tape but if make _tape_ recovery is run in the foreground, it prompts for more topes, if they are necessary

Correct Answer: A

QUESTION 5

The VAR=S (dace) command is an example of which kind of substitution?

- A. A command substitution
- B. A variable substitution
- C. A tilde substitution
- D. An alias substitution

Correct Answer: B

HP0-P24 PDF Dumps

HP0-P24 Study Guide

HP0-P24 Exam Questions