



Servicing HP BladeSystem Solutions

Pass HP HP2-T26 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/hp2-t26.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

You have to update firmware of the Onboard Administrator (OA) but you have no access to the GUI. What is required to flash OA firmware from the CLI?

- A. FTP/TFTP server with OA firmware image available
- B. OA certificate applied on the machine from which the update is performed
- C. service account credentials
- D. access to the Insight Display service menu

Correct Answer: A

QUESTION 2

The administrator password for the Onboard Administrator (OA) module has been lost. How does the system administrator recover this password? (Select three.)

- A. select the factory reset option during reboot
- B. press and hold the OA reset button for 5 seconds
- C. connect the computer with terminal emulator to the serial port of the active OA
- D. remove the OA module, close the reset jumper for 5 seconds, reseat the module
- E. boot the system into Lost Password mode
- F. connect to the OA via SSH using the service IP address

Correct Answer: BCE

QUESTION 3

Refer to the exhibit below.





A customer reports that Insight Display shows five NICs installed in a half-height server blade, but a connection to only two of them can be established. What could cause this to happen?

A. The NICs and interconnect modules are running different firmware revisions.

- B. The NICs and iLO share the same interface.
- C. Some interconnect modules are powered off.
- D. The NICs are multifunction cards and also operate in iSCSI mode.

Correct Answer: D

QUESTION 4

What is the maximum number of c3000 enclosures that can be installed in a 42U rack?

A. 4
B. 5
C. 6
D. 7
Correct Answer: D

QUESTION 5

How many power supplies are needed for an (N+N) configuration in a c7000 enclosure?

A. 3

- B. 4
- C. 5



D. 7

Correct Answer: B

HP2-T26 PDF Dumps

HP2-T26 VCE Dumps

HP2-T26 Practice Test