

# HP2-W100<sup>Q&As</sup>

HP TippingPoint Next Generation Firewall Security Products
Professional

# Pass HP HP2-W100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/hp2-w100.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



### https://www.passapply.com/hp2-w100.html 2024 Latest passapply HP2-W100 PDF and VCE dumps Download

#### **QUESTION 1**

Which tas	ks can h	ne scheduled	on an HP	<b>TinningPoint</b>	SMS?	(Select three.)
vviiicii tas	no can i	scrieduled	ULLALLIE	I IPPILIAL OILL	SIVIS:	(36,60, 11,1,66.)

- A. DV snapshots
- B. Profile distribution
- C. System snapshots
- D. DV distribution
- E. DV activation
- F. Reports

Correct Answer: BCD

#### **QUESTION 2**

Which group of filters is static?

- A. Games, Music, Video, RD
- B. Games, P2P, Remote Access, Tunneling
- C. Games, P2P Music, Flash
- D. Games, Music, Video, Tunneling

Correct Answer: A

#### **QUESTION 3**

Which HP Tipping Point NGFW S-Series products feature a redundant power supply? (Select three.)

- A. S8010F
- B. S8005F
- C. S1010F
- D. S1000F
- E. S1020F
- F. S3020F

Correct Answer: ABF



## https://www.passapply.com/hp2-w100.html

2024 Latest passapply HP2-W100 PDF and VCE dumps Download

#### **QUESTION 4**

In a Routed Deployment with NAT configuration, which entry must be configured to hide private network addresses?

- A. Destination NAT
- B. Source NAT
- C. Base NAT
- D. Target NAT

Correct Answer: B

#### **QUESTION 5**

Which statements accurately describe a broadcast domain? (Select two.)

- A. Broadcast domains require a gateway device such as a router.
- B. Broadcast domains consist of devices reachable by frames addressed to the Layer 2 broadcast address.
- C. Broadcast domains require that the participating devices connect to hubs.
- D. Broadcast domains require that the participating devices connect to common switches.
- E. Broadcast domains consist of devices that reside on the same VLAN.

Correct Answer: BE

Latest HP2-W100 Dumps

HP2-W100 PDF Dumps

HP2-W100 VCE Dumps